



HEALTH AND SAFETY
AUTHORITY



2018

Code of Practice

for the Chemical Agents Regulations



Our Vision:
healthy, safe and
productive lives

Contents

Foreword	2
Section 1 – Introduction	4
Section 2 - Definitions/Glossary	6
Section 3 – Calculations	9
Section 4 - Further Information	11
Schedule 1 List of Chemical Agents and Occupational Exposure Limit Values (OELVs)	12
Schedule 2 List of Chemical Agents for which it is the intention of the Health and Safety Authority to introduce an Occupational Exposure Limit Value (OELV) or to change the existing OELV in the next Code of Practice	36
Schedule 3 Chemical Abstracts Service (CAS) Number Index	39



Foreword

Notice of Publication of a Code of Practice

The Health and Safety Authority, in accordance with section 60(4)(a) of the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005), and with the consent of Mr. Pat Breen, Minister of State Trade, Employment, Business, EU Digital Single Market and Data Protection, publishes this Code of Practice entitled 2018 Code of Practice for the Chemical Agents Regulations.

This Code of Practice provides practical guidance as to the observance of Regulations 4(1)(e), 4(5)(d), 6(1) (c), (d) and (e) and 9(1)(b) of the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001), as amended by S.I. No. 623/2015 - Safety, Health and Welfare at Work (Chemical Agents) (Amendment) Regulations 2015 (hereinafter collectively referred to as the 'Chemical Agent Regulations') in relation to occupational exposure limit values (OELVs) for a number of chemical agents as listed in Schedule 1 to the Code, having regard to the provisions of the Safety, Health and Welfare at Work Act 2005.

The Code of Practice contains the following elements:

- Schedule 1 to this Code of Practice stipulates the OELVs, which are currently legally binding under the Chemical Agent Regulations.
- Schedule 2 to this Code of Practice provides a list of substances which are under review by the Health and Safety Authority.
- Schedule 3 contains a Chemical Abstracts Service (CAS) Number index of all substances included in the Code of Practice.
- Substances which have been assigned an indicative occupational exposure limit value (IOELV) under Commission Directives 2000/39/EC, 2006/15/EC, 2009/161/EU and EU 2017/164 (the first, second, third and fourth IOELV Directives) are indicated in the notes column in Schedule 1 to the Code of Practice.

This Code of Practice comes into operation on 21 August 2018 and from that date it revokes and replaces the *2016 Code of Practice for the Chemical Agent Regulations* which was issued in accordance with the Safety, Health and Welfare at Work Act 2005.

**Dr. Marie Dalton
Secretary to the Board
Health and Safety Authority**

17 August 2018





1. Introduction

Occupational exposure limit values (**OELVs**) provide a basis for ensuring that exposure to airborne contaminants in the workplace is controlled in such a way as to prevent adverse health effects. Existing information has been used to establish limit values for exposures which, for the majority of chemicals listed, even when repeated regularly throughout a working lifetime, are not expected to result in adverse effects on the health of exposed workers. Exceptions to this may be (1) certain risk groups such as employees known to be sensitised or (2) certain chemicals listed in the Code of Practice as carcinogenic, mutagenic or as chemicals causing respiratory sensitisation, where identification of a safe level of exposure is extremely difficult.

An OELV for a given chemical represents the maximum exposure to the chemical in workplace air, which is considered consistent with this objective. In practice, exposure levels should be maintained well below the OELV and should always be as low as reasonably achievable. This is particularly important for carcinogens, mutagens and substances causing sensitisation (occupational asthma or allergic contact dermatitis). **Schedule 1** to this Code of Practice stipulates the OELVs for over 700 substances. Within this Schedule, carcinogens are identified by the notation "**Carc.1A/1B**", mutagens by "**Muta.1A/1B**", reproductive toxins by "**Repr.1A/1B**" and sensitizers as "**Sens.**".

"Occupational Exposure Limit Value", as defined in the Definitions/Glossary, is the term used in this Code of Practice to describe an exposure standard for a chemical in workplace air, with reference to either an **8 hour reference period** or a **15-minute reference period**. The exposure limit values are based on time-weighted average (**TWA**) concentrations of airborne substances. These terms are also defined in the Definitions/Glossary. Terms used by other regulatory bodies throughout the world to describe exposure standards include Threshold Limit Value (**TLV**), Occupational Exposure Standard (**OES**), Workplace Exposure Limit (**WEL**) and Short Term Exposure Limit

(**STEL**). These terms may appear in Safety Data Sheets (**SDSs**) or other information on chemicals.

It should be noted that exposure to **radioactive material is excluded** from the scope of this Code of Practice.

This Code of Practice, in conjunction with the Chemical Agent Regulations, transposes the provisions of Commission Directive 2000/39/EC¹ establishing a first list of IOELVs in implementation of Council Directive 98/24/EC² on the protection of the health and safety of workers from the risks related to chemical agents at work the provisions of Commission Directive 2006/15/EC³ establishing a second list of IOELVs in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC⁴ and 2000/39/EC. The provisions of Commission Directive 2009/161/EU⁵ of 17 December 2009 establishing a third list of IOELVs are incorporated into this Code of Practice.

The Provisions of Commission Directive (EU) 2017/164⁶ of 31st January 2017 establishing a fourth list of IOELVs) are incorporated into Schedule 1 of this Code of Practice.

Schedule 2 of this Code of Practice also includes limit values and other directly related provisions of Annex III of Commission Directive (EU) 2017/2398⁷ amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work It is intended that these limit values from Directive 2004/37/EC⁸ will be transposed on or before January 2020. However, some of these limit values will be subject to transitional arrangements allowing for later transposition, as indicated for the relevant substances in the notes section of the table in Schedule 2.

Schedule 2 also highlights other substances under review by the European Commission which may be assigned limit values (as indicated) and/or skin notations as part of further amendments to Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

¹ OJ No. L 142, 16.06.2000, p. 47

² OJ No. L 131, 05.05.1998, p. 11

³ OJ No. L 38, 09.02.2006, p. 36

⁴ OJ No. L 177, 05.07.1991, p. 22

⁵ OJ No. L 338, 19.12.2009, p. 87

⁶ OJ No. L 27, 01.02.2017, p. 1151

⁷ OJ No. L 345, 27.12.2017, p. 87

⁸ OJ No. L 158, 30.04.2004, p. 50



There is no direct link between the health hazard categories identified in the legislation on the classification, packaging and labelling of dangerous substances and mixtures and the OELVs in this Code of Practice. In general, however, chemicals classified as very toxic, toxic, harmful, carcinogenic, mutagenic, or as respiratory sensitizers, are more likely to have an OELV assigned to them than chemicals which are not classified as hazardous for health, particularly if they have been classified as hazardous by inhalation or in contact with skin. Within **Schedule 1**, five groups of substances are identified as having the potential to cause particular and significant reactions following exposure. These groups may be identified by certain notations, as follows:

- Substances, which have the capacity to penetrate the skin and be absorbed into the body, are likely to have the skin (**Sk**) notation.
- Chemicals classified as carcinogenic (**Carc.1A/1B**) and mutagenic (**Muta.1A/1B**) chemicals, sensitizers (**Sens.**) and chemicals which are toxic for reproduction (**Repr.1A/1B**) are specifically identified as such in the notes column of **Schedule 1**, because of the particularly serious nature of these effects.

For these substances, in particular, where an OELV exists, exposure must be maintained well below that OELV, and should always be as low as reasonably achievable. In some cases no OELV is assigned to such substances because of the difficulty in identifying a safe level of exposure, and for these substances exposure levels should also be as low as reasonably achievable.

Classification, packaging and labelling legislation is a hazard-based system and the particular hazards of a chemical are identified by standardised test procedures. These hazards must be clearly identified on the labels of containers and in the associated Safety Data Sheet along with advice on protective measures to be taken. If exposure to a hazardous chemical is prevented or minimised, e.g. by maintaining the exposure level below the OELV, then the risk to health will also be prevented or minimised. OELVs are thus an important part of chemical risk assessments.

While this Code of Practice is based on the requirements of the Chemical Agents Regulations and Directive 98/24/EC, it is also worth noting other relevant chemicals legislation such as the EU REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) Regulation (EC) No. 1907/2006⁹ and the EU Classification, Labelling and Packaging (CLP) Regulation (EC) No. 1272/2008¹⁰ and their related amendments. REACH is based on the principle that industry shall ensure that chemicals placed on the European market do not adversely affect human health and the environment. One requirement is that industry complete hazard assessments and put adequate controls in place. The hazard assessments comprise of the following steps:

- evaluation of non-human and human information
- classification and labelling, and
- the calculation of derived no-effect levels (DNELs).

Where the quantity of the material manufactured or imported is greater than 10 tonnes per annum, the manufacturers and importers are required to calculate DNELs as part of the Chemical Safety Assessment (CSA) for chemical(s) used. The DNELs will be published in the manufacturer's Chemical Safety Report and included in an extended Safety Data Sheet. REACH specifies that it may be necessary to identify different DNELs for each relevant human exposure scenario and possibly for certain vulnerable sub-populations and for different routes of exposure and different exposure durations.

An occupational exposure limit value (IOELV, BOELV or OELV) can be used as a DNEL in limited cases where the scientific background for setting the exposure limit can be evaluated and the potential exposure route and duration are similar. If, however, the registrant of a substance has obtained new scientific information then the registrant should develop a DNEL and not apply the exposure limit. For further information see the European Chemical Agency (ECHA) guidance on hazard assessment at www.echa.europa.eu.

⁹OJ No. L 396, 30.12.2006, p. 1

¹⁰OJ No. L 353, 31.12.2008, p. 1



2. Definitions/Glossary

Asphx. - Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants.

BLV – Biological Limit Value, as defined in the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001), means the limit of the concentration in the appropriate biological medium of the relevant agent, its metabolite or an indicator of effect.

BOELV - Binding Occupational Exposure Limit Values are transposed from the relevant EU Directives through a range of national legislation comprising the Safety, Health and Welfare at Work (Exposure to Asbestos) Regulations 2006 (S.I. No. 386 of 2006), as amended, the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001), as amended, and the Safety, Health and Welfare at Work (Carcinogens) Regulations 2001 (S.I. No. 78 of 2001), as amended. BOELVs take account of socio-economic and technical feasibility factors as well as the factors considered when establishing IOELVs. For any chemical for which a BOELV is established at EU level, Member States must establish a corresponding BOELV, which can be stricter but cannot exceed the Community limit value.

Carc.1A - Substances known to have carcinogenic potential for humans; classification is largely based on human evidence to which the EU Classification, Labelling and Packaging Regulation (EC) No. 1272/2008 applies and as defined in the Safety, Health and Welfare at Work (Carcinogens) (Amendment) Regulations 2015.

Carc.1B - Substances presumed to have carcinogenic potential for humans; classification is largely based on animal evidence to which Classification, Labelling and Packaging Regulation (EC) No. 1272/2008 apply and as defined in the Safety, Health and Welfare at Work (Carcinogens) (Amendment) Regulations 2015.

Chemical Abstracts Service (CAS) Number - A CAS Registry Number, also referred to as CASRN or CAS Number, is a unique numerical identifier assigned by the American Chemical Abstracts Service to every chemical substance described in the open scientific literature, including organic and inorganic compounds, minerals, isotopes, alloys and non-structurable materials. Online searches can be carried out using the Chemical Abstracts Service at <http://support.cas.org/>.

Chemical Agent as defined in the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001), means any chemical element or compound, on its own or admixed, as it occurs in the natural state or as produced, used or released, including release as waste, by any work activity, whether or not produced intentionally and whether or not placed on the market.

Chemical Agents Regulations means the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001), as amended by the Safety, Health and Welfare at Work (Chemical Agents) (Amendment) Regulations 2015 (S.I. No. 623 of 2015).

DNEL - The Derived No-Effect Level is defined as the level of exposure above which humans should not be exposed (EU REACH Regulation (EC) No. 1907/2006).

8 hour reference period relates to the procedure whereby the occupational exposures in any 24 hour period are treated as equivalent to a single uniform exposure for 8 hours (the 8 hour time-weighted average (TWA) exposure). The TWA may be expressed mathematically by:

$$(C_1 T_1 + C_2 T_2 + \dots + C_n T_n) / 8,$$

where $C_1 \dots C_n$ are the occupational exposures and $T_1 \dots T_n$ are the associated exposure times in hours in any 24 hour period.

EC No. - The European Community number, or EC number, also known as EC No., EINECS No., and EC#,



is a unique seven-digit identifier that is assigned to chemical substances for regulatory purposes within the European Union by the regulatory authorities. Online searches can be carried out using the European Chemical Agency's Dissemination portal at <https://echa.europa.eu/information-on-chemicals/registered-substances>.

Fibre – A respirable fibre is defined as having a length of $>5\mu\text{m}$, with a length:width ratio of $\geq 3:1$, as determined by the membrane filter method, using phase-contrast illumination.

15 minute reference period means the short term exposure reference period and is the sampling period used for assessing compliance with the associated short term exposure limit (STEL).

Hazardous chemical agent has the meaning given to it by the Chemical Agents Regulations.

Inhalable Fraction (I) – The Inhalable Fraction note is used for those materials that are hazardous when deposited anywhere in the respiratory tract. (See Respirable Fraction (R) below).

Inhalable Fraction and Vapour (IFV) - The Inhalable Fraction and Vapour note is used when a material exerts sufficient vapour pressure such that it may be present in both particle and vapour phases.

IOELV – Indicative Occupational Exposure Limit Values are health based limits set under the Chemical Agents Directive 98/24/EC. The European Commission is advised on limits by its Scientific Committee on Occupational Exposure Limits (SCOEL). SCOEL evaluates the scientific information available on hazardous substances and makes recommendations for the establishment of an IOELV. IOELVs are listed in Directives, which Member States are obliged to implement by introducing national limits for the substances.

MAK - Maximum Allowable Concentration (German standard).

Muta.1A - Substances which are known to induce heritable mutations in the germ cells of humans; classification is based on positive evidence from human studies to which the Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of substances and mixtures apply and as defined in the Safety, Health and Welfare at Work (Carcinogens) (Amendment) Regulations 2015.

Muta.1B - Substances which should be regarded as if they induce heritable mutations in the germ cells of humans; classification is based on evidence from mutagenicity tests in mammals or humans, to which the Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of substances and mixtures apply and as defined in the Safety, Health and Welfare at Work (Carcinogens) (Amendment) Regulations 2015.

Occupational Exposure Limit Value (OELV) is defined in the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001) as meaning, unless otherwise specified, the limit of the time-weighted average of the concentration of a chemical agent in the air within the breathing zone of a worker in relation to a specified reference period, as approved by the Authority. Further, it is the maximum permissible concentration of a chemical agent in the air at the workplace to which workers may be exposed, in relation to an 8 hour or a 15 minute reference period, as set out in this Code. The concentration of the chemical agent in the air is expressed as parts per million (ppm), milligrams per cubic metre (mg/m^3), fibre(s) per milliliter (fibre(s)/ml) or fibre(s) per cubic centimeter (fibre(s)/ cm^3) as appropriate.

OES – Occupational Exposure Standard is a generic term which includes all occupational exposure limit values such as OELV, WEL, TLV etc.

Repr.1A – Substances which are known human reproductive toxicants, largely based on evidence from human studies to which the Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of substances and mixtures apply.



Repr.1B – Substances which are presumed human reproductive toxicants, largely based on data from animal studies, to which the Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of substances and mixtures apply.

Respirable Fraction (R) - Particles of inhalable aerosols that are inhaled and are not captured in the upper airways (nasopharyngeal and tracheobronchial regions) but penetrate to the pulmonary region containing the respiratory bronchioles, alveolar ducts and alveolar sacs are considered to comprise of the Respirable Fraction of the aerosol.

Sens. - In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE). The absence of a "Sens." note does not signify that the chemical agent lacks the ability to produce a sensitisation but may reflect the lack of, or inconclusiveness of, scientific evidence.

Sk - Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body.

STEL - Short Term Exposure Limit, defined as the concentration to which workers can be exposed for short periods of time, usually 15 minutes, 4 times per day, without suffering adverse effects and are set to help prevent effects such as eye irritation which may occur following exposure for a few minutes.

(Note: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit value should be used) (U.S.A., American Conference of Governmental Industrial Hygienists (ACGIH) and European Union (EU)).

TLV - Threshold Limit Value, defined as the time-weighted average concentration of airborne substances to which nearly all workers may be repeatedly exposed, without adverse effect. (U.S.A., American Conference of Governmental Industrial Hygienists (ACGIH) and European Union (EU)).

TWA - Time-Weighted Average, defined as the time-weighted average concentration for a conventional 8 hour day/40 hour week. (U.S.A., American Conference of Governmental Industrial Hygienists (ACGIH) and European Union (EU)).

WEL - Workplace Exposure Limit set under the UK Control of Substances Hazardous to Health Regulations 2002 are concentrations of hazardous substances in the air, averaged over a specified period of time referred to as a time-weighted average (TWA). Two time periods are used: long term (8 hours) and short term (15 minutes). (EH40 Workplace Exposure Limits, Health and Safety Executive, UK).

3. Calculations

3.1 CONVERSION OF UNITS OF CONCENTRATION (ppm and mg/m³)

Concentrations of substances in workplace air can sometimes be expressed in different units. For dusts, fumes and aerosols the units are normally mg/m³ (except for fibres for which fibres/millilitre or fibres/cm³ is used). However, gases and vapours tend to be expressed in parts per million of volume (ppm) although the two different units are in common use (mg/m³ and ppm) and the OELV will have a different value depending on which unit is chosen.

It is possible to convert from ppm to mg/m³ and vice versa, but the conversion factor differs from substance to substance and depends on its molecular weight. A formula to allow exact conversions from mg/m³ to ppm takes the form:

$$\text{ppm} = \frac{\text{mg/m}^3 \times \text{Molar Volume}}{\text{Molecular Weight}}$$

The Molar Volume varies with temperature, but at 25°C (the temperature usually used for OELVs) the formula becomes:

$$\text{ppm} = \frac{\text{mg/m}^3 \times 24.45}{\text{Molecular Weight}}$$

By way of example, 10 mg/m³ of hydrogen sulphide (molecular weight 34) at 25°C is equivalent to

$$\frac{10 \times 24.45}{34} = 7.2 \text{ ppm}$$

Such conversions are usually rounded off to two significant figures for values below 100 and to three significant figures for values above 100.

3.2 CALCULATIONS FOR MIXTURES

When two or more hazardous substances, which act upon the same target organ, are present, their combined effect, rather than that of either individually, should be taken into account. In the absence of information to the contrary, the effects of the different hazards should be considered as **additive**. That is, if the sum of the following fractions:

$$C_1/\text{OELV}_1 + C_2/\text{OELV}_2 + C_3/\text{OELV}_3 + \dots + C_n/\text{OELV}_n$$

exceeds 1.0, then the OELV of the mixture should be considered as being exceeded. C₁ indicates the observed atmospheric concentration of substance 1 over 8 hours, and OELV₁, its corresponding OELV; C₂ indicates the observed atmospheric concentration of substance 2 over 8 hours, and OELV₂, its corresponding OELV etc. to the nth term.

Example - Mixtures/Additive Effect

Workplace air contains 400 ppm of acetone (OELV, 500 ppm), 150 ppm of methyl isopropyl ketone (OELV, 200 ppm) and 100 ppm of methyl ethyl ketone (OELV, 200 ppm).

$$\begin{aligned} & C_1/\text{OELV}_1 + C_2/\text{OELV}_2 + C_3/\text{OELV}_3 \\ &= 400/500 + 150/200 + 100/200 \\ &= 0.8 + 0.75 + 0.5 \\ &= 2.05 \end{aligned}$$

As the sum exceeds 1.0, the combined OELV based on an additive effect is well exceeded.



Exceptions to the above rule may be made when there is good reason to believe that the principal effects of the different harmful substances are not in fact additive but **independent**, as when purely local effects on different organs of the body are produced by the various components of the mixture. In such cases the OELV for the mixture is exceeded only when at least one member of the series (C₁/OELV₁ or C₂/OELV₂ etc.) itself has a value exceeding unity.

Synergistic effects, when substances combine to give a greater effect than expected from simple linear addition, may occur with some combinations of atmospheric contaminants; such cases at present must be determined individually. For example, carbon tetrachloride and alcohol together are more toxic to the liver than expected from the sum of the two individual toxic effects.



4. Further Information

1. Health and Safety Authority Chemicals webpages (www.hsa.ie/chemicals)
2. "Published Recommendations/Opinions/SUMs", Scientific Committee on Occupational Exposure Limits ([available online](#))
3. "Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices", American Conference of Governmental Industrial Hygienists (ACGIH).
4. "EH40 Workplace Exposure Limits", Health and Safety Executive, UK.
5. "Patty's Industrial Hygiene and Toxicology", Volumes I-III.

SCHEDULE 1

List of Chemical Agents and Occupational Exposure Limit Values (OELVs)

Chemical Agents in bold type are new or changed values as proposed in Schedule 2 of the 2016 Code of Practice or direct entry IOELV/BOELVs

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m ³	ppm	mg/m ³	
Acetaldehyde	200-836-8	75-07-0	-	-	25	45	-
Acetic acid	200-580-7	64-19-7	10	25	20	50	IOELV
Acetic anhydride	203-564-8	108-24-7	1	2.5	3	10	-
Acetone	200-662-2	67-64-1	500	1210	-	-	IOELV
Acetone cyanohydrin as CN	200-909-4	75-86-5	-	-	-	5	-
Acetonitrile	200-835-2	75-05-8	40	70	-	-	Sk, IOELV
Acetophenone	202-708-7	98-86-2	10	49	-	-	-
Acetylene	200-816-9	74-86-2	-	-	-	-	Asphx.
Acetylene Dichloride	208-750-2	540-59-0	200	790	-	-	-
Acetylene Tetrabromide, see 1,1,2,2-Tetrabromoethane							
o-Acetylsalicylic acid, (Aspirin)	200-064-1	50-78-2	-	5	-	-	-
Acrolein	203-453-4	107-02-8	0.02	0.05	0.05	0.12	IOELV
Acrylaldehyde, See Acrolein							
Acrylamide	201-173-7	79-06-1	-	0.03	-	-	Sk, Carc.1B, Muta.1B, Sens.
Acrylic acid	201-177-9	79-10-7	10	29	20	59	IOELV STEL is for a 1 minute reference period
Acrylonitrile	203-466-5	107-13-1	2	4.5	-	-	Sk, Carc.1B, Sens.
Adipic acid	204-673-3	124-04-9	-	5	-	-	-
Adiponitrile	203-896-3	111-69-3	2	-	-	-	-
Alachlor	240-110-8	15972-60-8	-	1 (IFV)	-	-	-
Aldrin (ISO)	206-215-8	309-00-2	-	0.05 (IFV)	-	-	Sk
Aliphatic hydrocarbon gases							
Alkanes (C1-C3)							
Ethane	200-814-8	74-84-0					Asphx.
Methane	200-812-7	74-82-8					Asphx.
Propane	200-827-9	74-98-6					Asphx.
Allyl alcohol	203-470-7	107-18-6	2	4.8	5	12.1	Sk, IOELV
Allyl bromide	203-446-6	106-95-6	0.1	-	0.2	-	Sk
Allyl chloride	203-457-6	107-05-1	1	3	2	6	Sk
Allyl 2,3-epoxypropyl ether	203-442-4	106-92-3	5	22	-	-	Sens.
Allyl glycidyl ether (AGE), see Allyl 2,3-epoxypropyl ether							
Allyl propyl disulphide	218-550-7	2179-59-1	0.5	-	-	-	-
Aluminium alkyl compounds	-	-	-	2	-	-	-
Aluminium metal;	231-072-3	7429-90-5	-	1 (R)	-	-	-
Aluminium oxides; total inhalable dust respirable dust	215-691-6	1344-28-1	-	10	-	-	-
			-	4	-	-	-
Aluminium salts, soluble	-	-	-	2	-	-	-
Aminodimethylbenzene, see Xyldine							
4-Aminodiphenyl	202-177-1	92-67-1	-	-	-	-	Sk, Carc.1A
2-Aminoethanol	205-483-3	141-43-5	1	2.5	3	7.6	Sk, IOELV
2-Aminopyridine	207-988-4	504-29-0	0.5	2	-	-	-
3-Amino-1,2,4 Triazole, (Amitrole)	200-521-5	61-82-5	-	0.2	-	-	IOELV

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Ammonia, anhydrous	231-635-3	7664-41-7	20	14	50	36	IOELV
Ammonium chloride, fume	235-186-4	12125-02-9	-	10	-	20	-
Ammonium Perfluoroctanoate	223-320-4	3825-26-1	-	0.01	-	-	Sk
Ammonium sulphamate	231-871-7	7773-06-0	-	10	-	-	-
n-Amyl acetate, see Pentyl acetate							
Sec-Amyl acetate, see 1-Methyl butyl acetate							
Tert-Amyl acetate	211-047-3	625-16-1	50	270	100	540	IOELV
Aniline	200-539-3	62-53-3	1	3.8	-	-	Sk, Sens
o-Anisidine	201-963-1	90-04-0	0.1	0.5	-	-	Sk, Carc.1B
p-Anisidine	203-254-2	104-94-9	0.1	0.5	-	-	Sk
Antimony & compounds (as Sb)	231-146-5	7440-36-0	-	0.5	-	-	-
Antimony hydride (see Stibine)							
Araldite PT 810, see Triglycidyl isocyanurate, (TGIC)							
Argon	231-147-0	7440-37-1	-	-	-	-	Asphx.
Arsenic & compounds except arsine (as As)	231-148-6	7440-38-2	-	0.01	-	-	Carc.1A
Arsine	232-066-3	7784-42-1	0.005	0.02	-	-	-
Asbestos,(all types of asbestos fibre, as listed in Directive 2003/18/EC and implemented by S.I. No. 386 of 2006)							
Crocidolite		2001-28-4		0.1 fibres/cm³ of air			
Amosite		12172-73-5		0.1 fibres/cm³ of air			
Chrysotile		12001-29-5		0.1 fibres/cm³ of air			
Actinolite		77536-66-4		0.1 fibres/cm³ of air			
Anthophyllite		77536-67-5		0.1 fibres/cm³ of air			
Tremolite		77536-68-6		0.1 fibres/cm³ of air			
Asphalt (Bitumen), petroleum fumes, (inhalable fraction)	232-490-9	8052-42-4	-	0.5	-	-	-
Aspirin, see o-Acetylsalicylic acid							
Atrazine (ISO)	217-617-8	1912-24-9	-	2	-	-	Sens.
Azinphos-methyl (ISO), see Guthion							
Aziridine, see Ethylenimine							
Azodicarbonamide (C, C'-azodi (formamide))	204-650-8	123-77-3	-	1	-	3	Sens.
Barium compounds, (soluble compounds as Ba)	231-149-1	7440-39-3	-	0.5	-	-	IOELV
Barium sulphate, respirable dust	231-784-4	7727-43-7	-	5	-	-	-
Benomyl (ISO)	241-775-7	17804-35-2	-	10	-	-	Muta.1B, Repr.1B, Sens.
Benz[α]anthracene	200-280-6	56-55-3	-	-	-	-	Carc.1B
Benzene	200-753-7	71-43-2	1	3.0	-	-	BOELV, Sk, Carc.1A, Muta.1B
Benzenethiol	203-635-3	108-98-5	-	-	-	-	Sk
Benzene-1,2,4-tricarboxylic acid							
1,2-anhydride, see Trimellitic anhydride							
Benzidene	202-199-1	92-87-5	-	-	-	-	Sk, Carc.1A
Benzo[β]fluoranthene	205-911-9	205-99-2	-	-	-	-	Carc.1B
Benzo[α]pyrene	200-028-5	50-32-8	-	-	-	-	Carc.1B, Muta.1B, Repr.1B, Sens.
p-Benzoquinone, see Quinone							
Benzoyl chloride	202-710-8	98-88-4	-	-	0.5	-	-
Benzoyl peroxide, see Dibenzoyl peroxide							
Benzyl acetate	205-399-7	140-11-4	10	-	-	-	-
Benzyl butyl phthalate, see Butyl benzyl phthalate							

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Benzyl chloride	202-853-6	100-44-7	1				Carc.1B
Beryllium and beryllium compounds (as Be)	231-150-7	7440-41-7	-	0.0002	-	-	Carc.1B, Sens., Sk
γ-BHC (ISO), see γ-Hexachlorocyclohexane							
Biphenyl	202-163-5	92-52-4	0.2	1.5	-	-	-
BCME, see bis(Chloromethyl) ether							
2,2-Bis(p-chlorophenyl)-1,1,1-trichloroethane, see 1,1,1-Trichlorobis(chlorophenyl)ethane							
Bis(2,3-epoxypropyl)ether, see Diglycidyl ether (DGE)							
Bis(2-ethylhexyl) Phthalate, see Di-sec-octyl-phthalate							
2,2Bis(p-methoxyphenyl)-1,1,1-trichloroethane, see Methoxychlor(ISO)							
Bisphenol A (4,4'-isopropylidenediphenol) (Inhalable dust)	201-245-8	80-05-7		2 (I)	-	-	IOELV, Sens.
Bismuth telluride	215-135-2	1304-82-1	-	10	-	-	-
Bismuth telluride, selenium-doped	-	-	-	5	-	-	-
Borate compounds inorganic	215-540-4	1330-43-4 1303-96-4 10043-35-3 12179-04-3		2			Repr.1B
Bornan-2-one	200-945-0	76-22-2	2	12	3	18	-
Boron oxide	215-125-8	1303-86-2	-	10	-		Repr.1B
Boron tribromide	233-657-9	10294-33-4	-	-	1	10	-
Boron trifluoride	231-569-5	7637-07-2	-	-	1	3	-
Bromacil (ISO)	206-245-1	314-40-9	1	10	-	-	-
Bromine	231-778-1	7726-95-6	0.1	0.7	0.3	2	IOELV
Bromine pentafluoride	232-157-8	7789-30-2	0.1	0.7	-	-	-
Bromoform	200-826-3	74-97-5	200	1050	-	-	-
Bromomethane	200-813-2	74-83-9	5	20	15	60	Sk
1-Bromopropane (n-Propyl bromide)	203-445-0	106-94-5	0.1				
Bromotrifluoromethane, see Trifluorobromomethane							
Buta-1,3-diene	203-450-8	106-99-0	1	2.2	-	-	Carc.1A, Muta.1B,
Butane, all isomers	203-448-7 200-857-2	106-97-8 75-28-5			1000		
Butanethiol	203-705-3	109-79-5	0.5	1.8	-	-	-
Butan-1-ol	200-751-6	71-36-3	20	-	-	-	-
Butan-2-ol	201-158-5	78-92-2	100	300	150	450	-
tert-Butanol - see 2-Methylpropan-2-ol							
Butan-2-one, see Methyl ethyl ketone (MEK)							
Butenes, all isomers incl. Isobutene		106-98-9 107-01-7 115-11-7 590-18-1 624-64-6 25167-67-3	250	-	-	-	-
trans But-2-enal	204-647-1	123-73-9	2	6	6	18	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
But-2-yne-1,4-diol	203-788-6	110-65-6		0.5			IOELV
2-Butoxyethanol (EGBE)	203-905-0	111-76-2	20	98	50	246	Sk, IOELV
2-(2-Butoxyethoxy)ethanol	203-961-6	112-34-5	10	67.5	15	101.2	IOELV
2-Butoxyethyl acetate (EGBEA)	203-933-3	112-07-2	20	133	50	333	Sk, IOELV
Butyl acetate	204-658-1	123-86-4	150	710	200	950	-
sec-Butyl acetate	203-300-1	105-46-4	200				-
tert-Butyl acetate	208-760-7	540-88-5	200				-
Butyl acrylate	205-480-7	141-32-2	2	11	10	53	IOELV, Sens.
n-Butyl alcohol, see Butan-1-ol							
sec-Butyl alcohol, see Butan-2-ol							
tert-Butyl alcohol, see 2-Methyl propan-2-ol							
n-Butylamine	203-699-2	109-73-9	-	-	5	15	Sk
Butylated hydroxytoluene (BHT) see 2,6-Ditertiary-butyl-para-cresol							
Butyl benzyl phthalate	201-622-7	85-68-7	-	5	-	-	Repr.1B
n-Butyl chloroformate	209-750-5	592-34-7	1	5.6	-	-	-
tert-Butyl chromate		1189-85-1	-	-	-	0.1	-
Butyl-2,3-epoxypropyl ether(BGE)	219-376-4	2426-08-6	3	-	-	-	Sens., Sk
Butyl glycidyl ether, see Butyl-2,3-epoxypropylether							
Butyl lactate	205-316-4	138-22-7	5	25	-	-	-
n-Butyl mercaptan, see Butanethiol							
Tert-Butyl-methyl ether	216-653-1	1634-04-4	50	183.5	100	367	IOELV
2-sec- Butylphenol	201-933-8	89-72-5	5	30	-	-	Sk
p-tert Butyltoluene	202-675-9	98-51-1	1	6.1	-	-	-
Cadmium and compounds, as Cd.		7440-43-9	-	0.01 0.002 (R)	-	-	Carc.1B
Caesium hydroxide	244-344-1	21351-79-1	-	2	-	-	-
Calcium carbonate total inhalable dust respirable dust	215-279-6	1317-65-3	-	10	-	-	-
			-	4	-	-	-
Calcium chromate (as Cr)	237-366-8	13765-19-0	-	0.001	-	-	Carc.1B
Calcium cyanamide	205-861-8	156-62-7	-	0.5	-	1	-
Calcium dihydroxide	215-137-3	1305-62-0	-	1 (R)	-	4(R)	IOELV
Calcium oxide	215-138-9	1305-78-8	-	1 (R)	-	4 (R)	IOELV
Calcium silicate	215-710-8	1344-95-2	-				
Non fibrous particles				1			
Fibrous particles				1f/cc			
Calcium sulphate	231-900-3	7778-18-9	-	10	-	-	-
Camphor, synthetic, see Bornan-2-one							
ε-Caprolactam	203-313-2	105-60-2	-	10	-	40	IOELV
Captafol (ISO)	219-363-3	2425-06-1	-	0.1	-	-	Sk, Carc.1B, Sens.
Captan (ISO)	205-087-0	133-06-2	-	5	-	-	Sens.
Carbaryl (ISO)	200-555-0	63-25-2	-	0.5 (IFV)	-	-	-
Carbofuran (ISO)	216-353-0	1563-66-2	-	0.1	-	-	-
Carbon black	215-609-9	1333-86-4	-	3 (I)	-	-	-
Carbon dioxide	204-696-9	124-38-9	5000	9000	15000	27000	IOELV
Carbon disulphide	200-843-6	75-15-0	5	15	-	-	Sk, IOELV
Carbon monoxide	211-128-3	630-08-0	20	23	100	117	Repr.1A, IOELV
Carbon tetrabromide	209-189-6	558-13-4	0.1	1.4	0.3	4	-
Carbon tetrachloride	200-262-8	56-23-5	1	6.4	5	32	Sk, IOELV
Carbonyl chloride, see Phosgene							
Carbonyl fluoride	206-534-2	353-50-4	2	5.4	5	13	-
Carbonyl Sulphide	207-340-0	463-58-1	5	-	-	-	-
Catechol	204-427-5	120-80-9	5	20	-	-	Sk

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Cellulose	232-674-9	9004-34-6	-	10	-	-	-
Cement (Portland) (See Portland cement)							
Chlordane (ISO)	200-349-0	57-74-9	-	0.5	-	-	Sk
Chlorinated biphenyls (42% chlorine) (54% chlorine)	215-648-1	53469-21-9 11097-69-1	-	1	-	-	Sk
Chlorinated camphene	232-283-3	8001-35-2	-	0.5	-	-	-
o-Chlorinated diphenyl oxide		31242-93-0	-	0.5	-	-	-
Chlorine	231-959-5	7782-50-5	-	-	0.5	1.5	IOELV
Chlorine dioxide	233-162-8	10049-04-4	0.1	0.3	0.3	0.9	-
Chlorine trifluoride	232-230-4	7790-91-2	-	-	0.1	0.4	-
Chloroacetaldehyde	203-472-8	107-20-0	-	-	1	3	-
Chloroacetone	201-161-1	78-95-5	-	-	1		Sk
2-Chloracetophenone	208-531-1	532-27-4	0.05	0.3	-	-	-
Chloroacetyl chloride	201-171-6	79-04-9	0.05	0.2	-	-	-
Chlorobenzene (as monochlorobenzene)	203-628-5	108-90-7	5	23	15	70	IOELV
o-Chlorobenzylidene malonitrile	220-278-9	2698-41-1			0.05		Sk
Chlorobromomethane, see Bromochloromethane							
2-Chlorobuta-1,3-diene, see β-Chloroprene							
Chlorodifluoromethane, see Difluorochloromethane							
Chloroethane, see Ethyl chloride							
2-Chloroethanol, see Ethylene chlorohydrin							
Chloroethylene, see Vinyl chloride							
Chloroform	200-663-8	67-66-3	2	9.8	-	-	Sk, IOELV
Chloromethane	200-817-4	74-87-3	50	105	100	210	-
Bis(Chloromethyl) ether	208-832-8	542-88-1	0.001	0.005	-	-	Carc.1A
Chloromethyl methyl ether	203-480-1	107-30-2	-	-	-	-	Carc.1A
1-Chloro-4-nitrobenzene	202-809-6	100-00-5	-	1	-	2	Sk
1-Chloro-1-nitropropane	209-990-0	600-25-9	2	10	-	-	-
Chloropentafluoroethane	200-938-2	76-15-3	1000	6320	-	-	-
Chloropicrin	200-930-9	76-06-2	0.1	0.7	-	-	-
β-Chloroprene	204-818-0	126-99-8	10	36	-	-	Carc.1B, Sk
3-Chloropropene, see Allyl chloride							
1-Chloro-2-propanol	204-819-6	127-00-4 78-89-7	1	-	-	-	-
2-Chloro-1-propanol							
2-Chloropropionic acid	209-952-3	598-78-7	0.1	-	-	-	Sk
o-Chlorostyrene	218-026-8	2039-87-4	50	283	75	425	-
Chlorosulphonic acid	232-234-6	7790-94-5	-	1	-	-	-
α-Chlorotoluene, see Benzyl chloride							
2-Chlorotoluene	202-424-3	95-49-8	50	250	-	-	-
2-Chloro-6-(trichloromethyl) pyridine, see Nitrapyrin							
Chlorpyrifos (ISO)	220-864-4	2921-88-2	-	0.1 (IFV)	-	-	Sk
Chromium metal	231-157-5	7440-47-3	-	2	-	-	IOELV
Chromium (II) compounds (as Cr)	-	-	-	2	-	-	IOELV
Chromium (III) compounds (as Cr)	-	-	-	2	-	-	IOELV
Chromium (VI) compounds (as Cr)	-	-	-	0.05	-	-	Carc.1B
Water soluble Insoluble				0.01			
Chromyl Chloride	239-056-8	14977-61-8	0.025	0.16	-	-	Carc.1B, Muta.1B, Sens.

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m ³	ppm	mg/m ³	
Citral	226-394-6	5392-40-5	5 (IFV)	-	-	-	-
Clopidol	221-008-2	2971-90-6	-	3	-	-	-
Coal dust, respirable dust	-	-	-		-	-	-
Anthracite				0.4 (R)			
Bituminous				0.9 (R)			
Coal tar pitch volatiles, (as cyclohexane solubles)	266-028-2	65996-93-2	-	0.2	-	-	Carc.1B
Cobalt & cobalt compounds (as Co)	231-158-0	7440-48-4	-	0.02	-	-	Sens.
Cobalt carbonyl as Co	233-514-0	10210-68-1	-	0.1	-	-	-
Copper (as Cu)	231-159-6	7440-50-8					
Fume			-	0.2	-	-	-
Dusts and mists (as Cu)			-	1	-	-	-
Cotton dust (raw or waste cotton)	-	-	-	2.5	-	-	-
Coumaphos	-	56-72-4	-	0.05 (IFV)	-	-	-
Cresols, all isomers	215-293-2	1319-77-3	5	22	-	-	Sk, IOELV
Cristobalite, respirable dust, (see Silica, Crystalline)	238-455-4	14464-46-1	-	0.1	-	-	-
Crotonaldehyde	224-030-0	4170-30-0	-	-	0.3	-	Sk
Crufomate	206-083-1	299-86-5	-	5	-	-	-
Cryofluorane, see 1,2-Dichlorotetrafluoroethane							
Cumene, see Isopropylbenzene							
Cyanamide	206-992-3	420-04-2	0.58	1	-	-	Sk, IOELV, Sens.
Cyanides, except hydrogen cyanide, cyanogen and cyanogen chloride, (as -CN)		57-12-5		5	-	-	Sk
Cyanogen	207-306-5	460-19-5	-	-	10		-
Cyanogen bromide	208-051-2	506-68-3	-	-	0.3		-
Cyanogen chloride	208-052-8	506-77-4	-	-	0.3	0.6	-
Cyclohexane	203-806-2	110-82-7	200	700	-	-	IOELV
Cyclohexanol	203-630-6	108-93-0	50	200	-	-	-
Cyclohexanone	203-631-1	108-94-1	10	40.8	20	81.6	Sk, IOELV
Cyclohexene	203-807-8	110-83-8	300	1015	-	-	-
Cyclohexylamine	203-629-0	108-91-8	10	40	-	-	-
Cyclonite, see Hexahydro-1,3,5-trinitro-1,3,5 triazine							
Cyclopentadiene	208-835-4	542-92-7	75	203	-	-	-
Cyclopentane	206-016-6	287-92-3	600	1720	-	-	-
Cyhexatin (ISO), see Tricyclohexyltin hydroxide							
2,4-D (ISO), see 2,4-Dichlorophenoxyacetic acid							
DDM, see 4-4'							
Diaminodiphenylmethane							
DDT, see 1,1,1-Trichlorobis(chlorophenyl) ethane							
DDVP, see Dichlorvos (ISO)							
Decaborane	241-711-8	17702-41-9	0.05	0.25	0.15	0.75	Sk
Demeton		8065-48-3	0.01	0.05 (IFV)			Sk
Demeton-S-methyl (methyl demeton)	213-052-6	919-86-8	-	0.05 (IFV)-	-		-
2,4-DES, see 2-(2,4-Dichlorophenoxy)ethyl hydrogen sulphate							
Derris, commercial, see Rotenone							
Diacetone alcohol	204-626-7	123-42-2	50	240	-	-	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Diacetyl; Butanedione	207-069-8	431-03-8	0.02	0.07	0.1	0.36	IOELV
Dialkyl 79 phthalate	-	-	-	5	-	-	-
Diallyl phthalate	205-016-3	131-17-9	-	5	-	-	-
2,2-Diaminodiethylamine, see Diethylene triamine							
4,4-Diaminodiphenyl-methane (DADPM)	202-974-4	101-77-9	0.1	-	-	-	Sk Carc.1B, Sens.
1,2-Diaminoethane, see Ethylenediamine							
Diammonium peroxodisulphate (measured as [S2O3]) See Persulphate salts							
Diatomaceous earth, natural, respirable dust	272-489-0	68855-54-9	-	1.2	-	-	-
Diazinon (ISO)	206-373-8	333-41-5	-	0.01 (IFV)	-	-	Sk
Diazomethane	206-382-7	334-88-3	0.2	0.4	-	-	Carc.1B
Dibenzoyl peroxide	202-327-6	94-36-0	-	5	-	-	Sens.
Dibismuth tritelluride, see Bismuth telluride							
Dibismuth tritelluride, selenium doped, see Bismuth telluride selenium doped							
Diborane	242-940-6	19287-45-7	0.1	0.1	-	-	-
Diboron trioxide, see Boron oxide							
Dibrom, see 1,2 Dibromo-2, 2 dichloro ethyl dimethyl phosphate (Naled)							
1,2 Dibromo-2,2 dichloro ethyl dimethyl phosphate	206-098-3	300-76-5	-	0.1 (IFV)	-	6	-
Dibromodifluoromethane, see Difluorodibromomethane							
1,2 Dibromoethane, see Ethylene dibromide							
2-N-Dibutylaminoethanol	203-057-1	102-81-8	0.5	3.5	-	-	Sk
Dibutyl hydrogen phosphate	203-509-8	107-66-4		5 (IFV)	2	10	-
Dibutyl phenyl phosphate	219-772-7	2528-36-1	0.3	3.5	-	-	Sk
Di-n-butyl phosphate, see Dibutyl hydrogen phosphate							
Dibutyl phthalate	201-557-4	84-74-2	-	5	-	10	Repr.1B
Dichloroacetic acid	201-207-0	79-43-6	0.5	-	-	-	-
Dichloroacetylene		7572-29-4	-	-	0.1	0.4	-
1,2 Dichlorobenzene	202-425-9	95-50-1	20	122	50	306	Sk, IOELV
1,4-Dichlorobenzene	203-400-5	106-46-7	2	12	10	60	Sk, IOELV
3,3-Dichlorobenzidine	202-109-0	91-94-1	-	-	-	-	Carc.1B, Sens.
1,4-Dichloro-2-butene	212-121-8	764-41-0	0.005	0.025	-	-	Sk, Carc.1B
Dichlorodifluoromethane	200-893-9	75-71-8	1000	4950	-	-	-
1,3-Dichloro-5,5-dimethyl-hydantoin	204-258-7	118-52-5	-	0.2	-	0.4	-
Dichlorodiphenyltrichloroethane, see 1,1,1'-Trichlorobis (chlorophenyl) ethane							
1,1-Dichloroethane	200-863-5	75-34-3	100	412	-	-	Sk, IOELV
1,2-Dichloroethane	203-458-1	107-06-2	5	20	10	40	Carc.1B
1,1-Dichloroethylene	200-864-0	75-35-4	2	8	5	20	IOELV
1,2-Dichloroethylene (cis:trans isomers 60:40), see Acetylene dichloride							
Dichloroethyl ether	203-870-1	111-44-4	5	29	10	58	Sk
Dichlorofluoromethane	200-869-8	75-43-4	10	40	-	-	-
Dichloromethane	200-838-9	75-09-2	100	353	200	706	IOELV, Sk

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m ³	ppm	mg/m ³	
2,2'-Dichloro-4, 4'methylene-dianiline (MbOCA), see 4,4'Methylene bis-(2-chloroaniline)							
1,1-Dichloro-1-nitroethane	209-854-0	594-72-9	2	12	-	-	-
2,4-Dichlorophenoxyacetic acid [2,4-D (ISO)]	202-361-1	94-75-7	-	10	-	-	Sk, Sens.
2-(2,4-dichlorophenoxy) ethyl hydrogen sulphate and sodium 2-(2,4-dichlorophenoxy) ethyl sulphate	205-259-5	149-26-8	-	10	-	20	-
1,3-Dichloropropene, cis and trans isomers	208-826-5	542-75-6	1	5	-	-	Sk, Sens.
Dichloropropionic acid	200-923-0	75-99-0	1	5.8	-	-	-
1,2-Dichlortetrafluoroethane	200-937-7	76-14-2	1000	7000	-	-	-
Dichlorvos (ISO)	200-547-7	62-73-7	0.1	1	0.3	3	Sk, Sens.
Dicrotophos	205-494-3	141-66-2	-	0.05 (IFV)	-	-	Sk
Dicyclohexyl phthalate	201-545-9	84-61-7	-	5	-	-	-
Dicyclopentadiene	201-052-9	77-73-6	5	30	-	-	-
Dicyclopentadienyl iron, see Ferrocene							
Dieldrin (ISO)	200-484-5	60-57-1	-	0.1	-	-	Sk
Diesel fuel/kerosene	-	-	-	100	-	-	Sk
Diethanolamine	203-868-0	111-42-2	0.2	1(IFV)	-	-	-
Diethylamine	203-716-3	109-89-7	5	15	10	30	IOELV
2-Diethylaminoethanol	202-845-2	100-37-8	2	-	-	-	Sk
Diethylene glycol	203-872-2	111-46-6	23	100	-	-	-
Diethylene triamine	203-865-4	111-40-0	1	4	-	-	Sk
Diethyl ether, see Ether							
Di-(2-ethylhexyl) phthalate, see Di-sec-octyl-phthalate							
N, N-Diethylhydroxylamine	223-055-4	3710-84-7	2	-	-	-	-
Diethyl ketone, see Pentan-3-one							
Diethyl phthalate	201-550-6		-	5	-	10	-
Diethyl sulphate	200-589-6	64-67-5	0.05	-	-	-	Carc.1B, Muta.1B
Difluorochloromethane	200-871-9	75-45-6	1000	3600	-	-	IOELV
Difluorodibromomethane	200-885-5	75-61-6	100	860	-	-	-
Difluorodichloromethane, see Dichlorodifluoromethane							
Diglycidyl ether (DGE)	218-802-6	2238-07-5	0.01	0.05	-	-	-
Dihydrogen selenide (as Se)	231-978-9	7783-07-5	0.02	0.07	0.05	0.17	IOELV
m-Dihydroxybenzene, see Resorcinol							
o-Dihydroxybenzene, see Catechol							
p-Dihydroxybenzene, see Hydroquinone							
1,2-Dihydroxyethane, see 1,2-Ethane diol							
Diisobutyl ketone	203-620-1	108-83-8	25	150	-	-	-
Diisobutyl phthalate	201-553-2	84-69-5	-	5	-	-	Repr.1B
Diisodecyl phthalate	247-977-1	26761-40-0	-	5	-	-	-
Diisononyl phthalate	249-079-5	28553-12-0	-	5	-	-	-
Diisooctyl phthalate	248-523-5	27554-26-3	-	5	-	-	Repr.1B
Diisopropylamine	203-558-5	108-18-9	5	20	-	-	Sk
Diisopropyl ether, see Isopropyl ether							
Di-linear 79 phthalate	-	-	-	5	-	-	-
Dimethoxymethane, see Methylal							
N,N'-Dimethylacetamide	204-826-4	127-19-5	10	36	20	72	Repr.1B, Sk, IOELV
Dimethylamine	204-697-4	124-40-3	2	3.8	5	9.4	IOELV
Bis-(2-Dimethylaminoethyl) ether	3033-62-3	0.05	-	0.15	-	-	-
N,N-Dimethylaniline	204-493-5	121-69-7	5	25	10	50	Sk
1,3-Dimethylbutyl acetate	203-621-7	108-84-9	50	300	-	-	-
Dimethyl carbamoyl chloride	201-208-6	79-44-7	0.005	0.2	-	-	Carc.1B



Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Dimethyl disulphide	210-871-0	624-92-0	0.5	1.9	-	-	-
Dimethyl ether	204-065-8	115-10-6	1000	1920	-	-	IOELV
N,N-Dimethylethylamine	209-940-8	598-56-1	10	30	15	45	-
Dimethylformamide	200-679-5	68-12-2	5	15	10	30	Sk, Repr.1B, IOELV
2,6-Dimethylheptan-4-one, see Di-isobutyl ketone							
N,N-Dimethylhydrazine	200-316-0	57-14-7	0.01	0.02	-	-	Carc.1B
Dimethyl phthalate	205-011-6	131-11-3	-	5	-	10	-
Dimethyl sulphate	201-058-1	77-78-1	0.1	0.5	0.1	0.5	Sk, Carc.1B, Sens.
Dimethyl sulphide	200-846-2	75-18-3	10	-	-	-	-
Dimethylethoxysilane	238-921-7	14857-34-2	0.5	-	1.5	-	-
Dinitolmide	205-706-4	148-01-6	-	1	-	-	-
Dinitrobenzene, all isomers	246-673-6	25154-54-5	0.15	1	0.5	3	Sk
Dinitro-o-cresol	208-601-1	534-52-1	-	0.2	-	-	Sk, Sens.
Dinitrotoluene	246-836-1	25321-14-6	-	0.2	-	-	Carc.1B, Sk
Dinonyl phthalate	201-560-0	84-76-4	-	5	-	-	-
1,4-Dioxane, tech. Grade	204-661-8	123-91-1	20	73	-	-	Sk, IOELV
Dioxathion (ISO)	201-107-7	78-34-2	-	0.1 (IFV)	-	-	Sk
1,3-Dioxolane	211-463-5	646-06-0	20	-	-	-	-
Diphenyl, see Biphenyl							
Diphenylamine	204-539-4	122-39-4	-	10	-	20	-
Diphenyl ether (vapour)	202-981-2	101-84-8	1	7	2	14	IOELV
Diphosphorus pentoxide	215-236-1	1314-56-3	-	1	-	-	IOELV
Diphosphorus pentasulphide, see Phosphorus pentasulphide							
Dipotassium peroxodisulphate (measured as [S2O8]); see Persulphate salts, potassium							
Dipropylene glycol methyl ether, see (2-Methoxymethyl ethoxy)-1-propanol							
Dipropyl ketone	204-608-9	123-19-3	50	233	-	-	-
Diquat dibromide(ISO)	201-579-4	85-00-7	-	0.5 (I) 0.1 (R)	-	-	Sens.
Di-sec-octyl phthalate	204-211-0	117-81-7	-	5	-	10	Repr. 1B
Disodium disulphite	231-673-0	7681-57-4	-	5	-	-	-
Disodium peroxodisulphate (measured as S2O8); see Persulphate salts, sodium							
Disodium tetraborate, anhydrous, decahydrate & pentahydrate, see Borates (tetra) sodium							
Disulfiram	202-607-8	97-77-8	-	2	-	-	-
Disulfoton (ISO)	206-054-3	298-04-4	-	0.05 (IFV)	-	-	Sk
Disulphur dichloride; see Sulphur monochloride							
Disulphur decafluoride	227-204-4	5714-22-7	-	-	0.01	-	-
2,6-Ditertiary-butyl-para-cresol	204-881-4	128-37-0	-	2	-	-	-
6,6'-Di-tert-butyl-4,4'-thio-di-m-cresol	202-525-2	96-69-5	-	1 (I)	-	-	-
Diuron (ISO)	206-354-4	330-54-1	-	10	-	-	-
Divanadium pentaoxide (as V), total inhalable fraction	215-239-8	1314-62-1	-	0.05	-	-	-
Divinylbenzene	203-595-7	108-57-6	10	50	-	-	-
DMDT, see Methoxychlor (ISO)							
Dodecyl mercaptan	203-984-1	112-55-0	0.1	-	-	-	Sens.
Dusts non-specific total inhalable respirable	-	-	-	10	-	-	-
			-	4	-	-	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Emery total inhalable dust respirable dust	-	1302-74-5	-	10 4	-	-	-
Endosulfan (ISO)	204-079-4	115-29-7	-	0.1	-	0.3	Sk
Endrin (ISO)	200-775-7	72-20-8	-	0.1	-	-	Sk
Enflurane	237-553-4	13838-16-9	50	380	-	-	-
Epichlorohydrin	203-439-8	106-89-8	0.5	2	-	-	Sk, Carc.1B, Sens.
EPN (O-ethyl O-4-nitrophenyl phenylphosphothioate)	218-276-8	2104-64-5	-	0.1	-	-	-
1,2-Epoxy-4-epoxyethylcyclohexane, see Vinylcyclohexene dioxide							
2,3-Epoxypropyl isopropyl ether, see Isopropyl glycidyl ether							
Ethane (see aliphatic hydrocarbon gases)							
Ethane-1,2-diol, particulate vapour	203-473-3	107-21-1	- -	10 20	52	104	Sk, IOELV
Ethanethiol (ethyl mercaptan)	200-837-3	75-08-1	0.5		-	-	-
Ethanol	200-578-6	64-17-5	-	-	1000	-	-
Ethanolamine, see 2-Amino ethanol							
Ether	200-467-2	60-29-7	100	308	200	616	IOELV
Ethion	209-242-3	563-12-2	-	0.05 (IFV)	-	-	-
2-Ethoxyethanol	203-804-1	110-80-5	2	8	-	-	Sk, Repr.1B, IOELV
2-Ethoxyethyl acetate	203-839-2	111-15-9	2	11	-	-	Sk, Repr.1B, IOELV
2-Ethoxy-2-methylpropane	211-309-7	637-92-3	25	-	-	-	-
Ethyl acetate	205-500-4	141-78-6	200	734	400	1468	IOELV
Ethyl acrylate	205-438-8	140-88-5	5	20	10	41	Sk, IOELV, Sens.
Ethyl alcohol, see Ethanol							
Ethylamine	200-834-7	75-04-7	5	9.4	-	-	IOELV
Ethyl amyl ketone, see 5-Methylheptan-3-one							
Ethylbenzene	202-849-4	100-41-4	100	442	200	884	Sk, IOELV
Ethyl bromide	200-825-8	74-96-4	5	22	-	-	Sk
Ethyl butyl ketone, see Heptan-3-one							
Ethyl chloride	200-830-5	75-00-3	100	268	-	-	IOELV
Ethyl chloroformate	208-778-5	541-41-3	1	4.4	-	-	-
Ethyl cyanoacrylate	230-391-5	7085-85-0	0.2	-	-	-	-
Ethylene	200-815-3	74-85-1	200	-	-	-	Asphx.
Ethylene chlorohydrin	203-459-7	107-07-3	-	-	1	3	Sk
Ethylenediamine	203-468-6	107-15-3	10	25	-	-	Sens.
Ethylene dibromide	203-444-5	106-93-4	0.5	4	-	-	Sk, Carc.1B
Ethylene dichloride, see 1,2-Dichloroethane							
Ethylene dinitrate, see Ethylene glycol dinitrate							
Ethylene glycol, particulate & vapour, see Ethane-1,2-diol							
Ethylene glycol dinitrate	211-063-0	628-96-6	0.05	0.3	-	-	Sk
Ethylene glycol monobutyl ether, see 2-Butoxyethanol							
Ethylene glycol monoethyl ether, see 2-Ethoxyethanol							
Ethylene glycol monomethyl ether acetate, see 2-Methoxyethyl acetate							
Ethylene glycol monomethyl ether, see 2-Methoxyethanol							

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Ethylenimine	205-793-9	151-56-4	0.05	0.1	-	-	Sk, Carc.1B, Muta.1B
Ethylene oxide	200-849-9	75-21-8	5	10	-	-	Carc.1B, Muta.1B, Sk
Ethyl ether, see Ether							
Ethyl formate	203-721-0	109-94-4	-	-	100	-	-
Ethyl hexanoic acid	205-743-6	149-57-5	-	5	-	-	-
2-Ethylhexan-1-ol	203-234-3	104-76-7	1	5.4	-	-	IOELV
2-Ethylhexyl chloroformate	246-278-9	24468-13-1	1	7.9	-	-	-
Ethyldene dichloride, see 1,1-Dichloroethane							
5-Ethyldene-8,9,10-trinorborn-2-ene (Ethyldene norbornene)	240-347-7	16219-75-3	2	-	4	-	-
Ethyl isocyanate	203-717-9	109-90-0	0.02	-	0.06	-	-
Ethyl tert-butyl ether (see 2-ethoxy-2-methylpropane)							
Ethyl mercaptan, see Ethanethiol							
4-Ethylmorpholine	202-885-0	100-74-3	5	23	20	95	Sk
Ethyl silicate (Tetraethyl orthosilicate)	201-083-8	78-10-4	5	44	-	-	IOELV
Fenamiphos (ISO)Ethyl-4-methylthiom-tolyl isopropyl phosphoramidate)	244-848-1	22224-92-6	-	0.05	-	-	-
Fenchlorphos (ISO), see Ronnel							
Fensulfothion (ISO) (O,O-Diethyl O-4-methylsulfinylphenyl phosphorothioate)	204-114-3	115-90-2	-	0.01	-	-	-
Fenthion (ISO) (O,O-Dimethyl-O-(4-methylthion-m-tolyl) phosphorothioate)	200-231-9	55-38-9	-	0.05	-	-	-
Ferbam (ISO)	238-484-2	14484-64-1	-	5	-	-	-
Ferrocene (Dicyclopentadienyl iron)	203-039-3	102-54-5	-	10	-	-	-
Ferrovanadium Dust	-	12604-58-9	-	1	-	3	-
Flour dust	-	-	-	1	-	-	Sens.
Fluoride (as F)	-	16984-48-8	-	2.5	-	-	-
Fluorides, inorganic	-	-	-	2.5	-	-	IOELV
Fluorine	231-954-8	7782-41-4	1	1.58	2	3.16	IOELV
Fluorodichloromethane, see Dichlorofluoromethane							
Fluorotrichloromethane, see Trichlorofluoromethane							
Fonofos (ISO) (O-Ethyl phenyl ethylphosphonodithioate)	213-408-0	944-22-9	-	0.1 (IFV)	-	-	-
Formaldehyde	200-001-8	50-00-0	0.2	-	0.4	-	Carc.1B, Sens.
Formamide	200-842-0	75-12-7	10	18	-	-	Repr.1B
Formic acid	200-579-1	64-18-6	5	9	-	-	IOELV
2-Furaldehyde (Furfural)	202-627-7	98-01-1	2	8	5	20	Sk
Furfuryl alcohol	202-626-1	98-00-0	10	40	15	60	Sk
Germane	231-961-6	7782-65-2	0.2	0.6	0.6	1.8	-
Germanium tetrahydride, see Germane							
Glutaraldehyde	203-856-5	111-30-8	-	-	0.05	0.2	Sens.
Glycerol trinitrate	200-240-8	55-63-0	0.01	0.095	0.02	0.19	Sk, IOELV
Glycidol	209-128-3	556-52-5	2	6	-	-	Carc.1B, Repr.1B
Glycol mono ethyl ether, see 2-ethoxyethanol							
Glyoxal	-	107-22-2	-	0.1 (IFV)	-	-	-
Grain dust	-	-	-	4	-	-	Sens.
Graphite (all forms except fibres)	231-955-3	7782-42-5	-	2 (R)	-	-	-
Guthion	201-676-1	86-50-0	-	0.2	-	-	Sk, Sens.

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Gypsum total inhalable dust respirable dust		10101-41-4	- -	10 4	- -	- -	- -
Hafnium	231-166-4	7440-58-6	-	0.5	-	-	-
Halothane	205-796-5	151-67-7	50		-	-	-
γ-HCH (ISO), see γ Hexachlorocyclohexane							
Helium	231-168-5	7440-59-7	-	-	-	-	Asphx.
Heptachlor (ISO)	200-962-3	76-44-8	-	0.05	-	-	Sk
Heptachlor epoxide	213-831-0	1024-57-3	-	0.05	-	-	
n-Heptane	205-563-8	142-82-5	500	2085	-	-	IOELV
Heptan-2-one	203-767-1	110-43-0	50	238	100	475	Sk, IOELV
Heptan-3-one	203-388-1	106-35-4	20	95	-	-	IOELV
Hexachlorobutadiene	201-765-5	87-68-3	0.02	0.21	-	-	Sk
γ ε-Hexachlorocyclohexane	210-168-9	608-73-1	-	0.5	-	1.5	Sk
Hexachlorocyclopentadiene	201-029-3	77-47-4	0.01	0.1	-	-	
Hexachloroethane vapour		200-666-4	67-72-1	1	10	-	-
Hexachloronaphthalene	215-641-3	1335-87-1	-	0.2	-	-	Sk
Hexafluoroacetone	211-676-3	684-16-2	0.1	0.68	-	-	Sk
Hexafluoropropene (Hexafluoropropylene)	204-127-4	116-15-4	0.1	-	-	-	-
Hexahydrophthalic anhydride	201-604-9	85-42-7	-	-	-	0.005	Sens.
All isomers (Inhalable)	236-086-3 238-009-9	13149-00-3 14166-21-3					
Hexahydro-1,3,5-trinitro-1,3,5-triazine	204-500-1	121-82-4	0.5	-	-	-	Sk
Hexamethylene diisocyanate (as -NCO)	212-485-8	822-06-0	0.005	-	-	-	Sens.
Hexane, all isomers except n-hexane	-	-	500	1800	1000	3600	-
n-Hexane	203-777-6	110-54-3	20	72	-	-	IOELV, Sk
1,6 Hexanediamine	204-679-6	124-09-4	0.5	2.3	-	-	-
1,6 Hexanolactam, dust & vapour: See ε-Caprolactam)							
Hexan-2-one	209-731-1	591-78-6	5	10	-	-	Sk
1-Hexene	209-753-1	592-41-6	50	-	-	-	-
Hexone, see Methyl isobutyl ketone							
Hexylene glycol	203-489-0	107-41-5	-	-	25	125	-
Hydrazine	206-114-9	302-01-2	0.01	0.01	-	-	Sk, Carc.1B, Sens
Hydrazoic acid (as vapour)	231-965-8	7782-79-8	-	-	0.1	-	-
Hydrogen	215-605-7	1333-74-0	-	-	-	-	Asphx.
Hydrogenated terphenyls	262-967-7	61788-32-7	2	19	5	48	IOELV
Hydrogen bromide	233-113-0	10035-10-6	-	-	2	6.6	IOELV
Hydrogen chloride	231-595-7	7647-01-0	5	8	10	15	IOELV
Hydrogen cyanide (as cyanide)	200-821-6	74-90-8	0.9	1	4.5	5	IOELV, Sk
Hydrogen fluoride (as F)	231-634-8	7664-39-3	1.8	1.5	3	2.5	Sk, IOELV
Hydrogen peroxide	231-765-0	7722-84-1	1	1.5	2	3	-
Hydrogen selenide (as Se), see dihydrogen selenide							
Hydrogen sulphide	231-977-3	7783-06-4	5	7	10	14	IOELV
Hydroquinone	204-617-8	123-31-9	-	0.5	-	-	Sens.
4-Hydroxy-4-methyl-pentan-2-one, see Diacetone alcohol							
2-Hydroxypropyl acrylate	213-663-8	999-61-1	0.5	3	-	-	Sk, Sens.
2,2'-Iminodiethanol, see Diethanol amine							
2,2'-Iminodi (ethylamine), see Diethylene triamine							
Indene	202-393-6	95-13-6	5	24	-	-	-
Indium & Compounds (as In)	231-180-0	7440-74-6	-	0.1	-	0.3	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
INN, see 1,2-Dichlorotetrafluoroethane							
Iodine and Iodides	231-442-4	7553-56-2	0.01 (IFV)		0.1		-
Iodoform	200-874-5	75-47-8	0.6	10	1	20	-
Iodomethane, see methyl iodide							
Iron oxide, fume (as Fe)	215-168-2	1309-37-1	-	5	-	10	-
Iron pentacarbonyl, see Pentacarbonyl iron (as Fe)							
Iron salts (as Fe)	-	-	-	1	-	2	-
Isoamyl acetate, see isopentyl acetate							
Isoamyl alcohol	204-633-5	123-51-3	100	360	125	450	-
Isoamyl methyl ketone	203-737-8	110-12-3	20	95	-	-	IOELV
Isobutyl acetate	203-745-1	110-19-0	150	700	-	-	-
Isobutyl alcohol	201-148-0	78-83-1	50	150	75	225	-
Isobutyl methyl ketone, see methyl isobutyl ketone							
Isobutyl nitrite	208-819-7	542-56-3	-	-	1	-	-
Isocyanates, All, (as -NCO) except Methyl isocyanate (CAS No. 624-83-9) and Toluene (2,4 or 2,6 diisocyanate (CAS No. 584-84-9, 91-08-7)	-	-	-	0.02	-	0.07	Sens.
Isoflurane	247-897-7	26675-46-7	50	380	-	-	-
Isoctyl alcohol (mixed isomers)	248-133-5	26952-21-6	50	270	-	-	-
Isopentyl acetate	204-662-3	123-92-2	50	260	100	520	IOELV
Isophorone, see 3,5,5-trimethyl cyclohex-2-enone							
Isophorone diisocyanate (IPDI) (as -NCO)	223-861-6	4098-71-9	0.005	-	-	-	Sens.
Isopropoxyethanol	203-685-6	109-59-1	25	106	-	-	Sk
Isopropyl acetate	203-561-1	108-21-4	100	-	200	-	-
Isopropyl alcohol	200-661-7	67-63-0	200	-	400	-	Sk
Isopropylamine	200-860-9	75-31-0	5	12	10	24	-
n-Isopropylaniline	212-196-7	768-52-5	2	11	-	-	Sk
Isopropyl benzene	202-704-5	98-82-8	20	100	50	250	Sk, IOELV
Isopropyl chloroformate	203-563-2	108-23-6	1	5	-	-	-
Isopropyl ether	203-560-6	108-20-3	250	1050	310	1320	-
Isopropyl glycidyl ether (IGE)	223-672-9	4016-14-2	50	240	75	360	-
Kaolin, respirable dust	-	1332-58-7	-	2	-	-	-
Kerosene see Diesel fuel							
Ketene	207-336-9	463-51-4	0.5	0.9	1.5	3	-
Lead (CAS No.:7439-92-1) and its compounds (except tetraethyl lead); [see Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 (S.I. No.619 of 2001)]	-	-	-	0,15	-	-	Repr.1A, BOELV
Lead chromate	231-846-0	7758-97-6	-	0.1 as Pb 0.012 as Cr		-	-
Limestone, see Calcium carbonate							
Lindane, see γ hexachlorocyclohexane							
Lithium hydride	231-484-3	7580-67-8	-		-	0.02(I)	IOELV
Lithium hydroxide	215-183-4	1310-65-2	-	-	-	1	-
Magnesium oxide respirable dust fume total inhalable dust	215-171-9	1309-48-4	-	4	-	-	-
			-	5	-	10	-
			-	10	-	-	-
Malathion (ISO)	204-497-7	121-75-5	-	1 (IFV)	-	-	Sk, Sens.
Maleic anhydride	203-571-6	108-31-6	0.01(IFV)	-	-	-	Sens.

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Manganese, fume (as Mn)	231-105-1	7439-96-5	-	0.2 (I) 0.02 (R)	-	3	
Manganese and inorganic manganese compounds (as Mn)			-	0.2(I) 0.05 (R)	-	-	IOELV
Manganese cyclopentadienyl tricarbonyl	235-142-4	12079-65-1	-	0.1	-	0.3	Sk
Manganese tetraoxide, see Trimanganese tetraoxide							
Machine made mineral fibre (excluding refractory ceramic fibres) (MMMF)	-	-	1 fibres per milli litre of air	5	-	-	-
Marble, see Calcium carbonate							
MbOCA, See 4,4'Methylenebis-(2-chloroaniline)							
MDA, see 4-4'- methylenedianiline							
MDI, see 4-4' -methylene-diphenyl diisocyanate							
Mequinol, see 4-methoxyphenol							
Mercaptoacetic acid	200-677-4	68-11-1	1	5	-	-	-
Mercury alkyls (as Hg)	-	-	-	0.01	-	0.03	Sk
Mercury & divalent inorganic mercury compounds	-	7439-97-6	-	0.02	-	-	IOELV Repr.1B
Mesitylene (also 1,3,5 trimethylbenzene)	203-604-4	108-67-8	20	100	-	-	IOELV
Mesityl oxide	205-502-5	141-79-7	15	60	25	100	-
Methacrylic acid	201-204-4	79-41-4	20	70	40	140	-
Methacrylonitrile	204-817-5	126-98-7	1	2.8	-	-	Sk
Methane (see aliphatic hydrocarbon gases)							
Methanethiol	200-822-1	74-93-1	0.5	1	-	-	-
Methanol	200-659-6	67-56-1	200	260	-	-	Sk, IOELV
Methomyl (ISO)	240-815-0	16752-77-5	-	0.2	-	-	Sk
Methoxychlor (ISO)	200-779-9	72-43-5	-	10	-	-	-
2-Methoxyethanol	203-713-7	109-86-4	1	-	-	-	Sk, Repr.1B, IOELV
2-(2-Methoxyethoxy)ethanol	203-906-6	111-77-3	10	50.1	-	-	Sk, IOELV
2-Methoxyethyl acetate	203-772-9	110-49-6	1	-	-	-	Sk, Repr.1B, IOELV
2-Methoxy-1-methylethylacetate	203-603-9	108-65-6	50	275	100	550	Sk, IOELV
(2-Methoxymethylethoxy)-l-propanol	252-104-2	34590-94-8	50	308	-	-	Sk, IOELV
4-Methoxyphenol	205-769-8	150-76-5	-	5	-	-	-
1-Methoxypropan-2-ol, see Propylene glycol monomethyl ether							
Methyl acetate	201-185-2	79-20-9	200	610	250	760	-
Methyl acetylene	200-828-4	74-99-7	1000	1610	-	-	-
Methyl acetylene-propadiene mixture		59355-75-8	1000	-	1250	-	-
Methyl acrylate	202-500-6	96-33-3	5	18	10	36	Sk, IOELV , Sens.
Methyl acrylonitrile, see methacrylonitrile							
Methylal	203-714-2	109-87-5	1000	3100	-	-	-
Methyl alcohol, see Methanol							
Methylamine	200-820-0	74-89-5	5	6	15	19	-
Methyl-n-amyl-ketone, see Heptan-2-one							
N-Methylaniline	202-870-9	100-61-8	0.5	2	-	-	Sk
Methyl bromide, See Bromomethane							
3-Methylbutan-1-ol, see Isoamyl alcohol							
1-Methyl butyl acetate	210-946-8	626-38-0	50	270	100	540	IOELV
Methyl chloride, See Chloromethane							
Methyl chloroform, see 1,1,1-trichloroethane							

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m ³	ppm	mg/m ³	
Methyl 2-cyanoacrylate	205-275-2	137-05-3	0.2	1	-	-	-
Methylcyclohexane	203-624-3	108-87-2	400	1600	-	-	-
Methylcyclohexanol	247-152-6	25639-42-3	50	235	-	-	-
2-Methylcyclohexanone	209-513-6	583-60-8	50	230	75	345	Sk
Methylcyclopentadienyl manganese, tricarbonyl (as Mn), see Tricarbonyl (methylcyclopentadienyl) manganese							
2-Methyl-4, 6-dinitrophenol, see Dinitro-o-cresol							
4,4'Methylenebis-(2-chloroaniline)	202-918-9	101-14-4	0.01	-	-	-	Sk Carc.1B
Methylene chloride, see Dichlormethane							
4,4'-Methylene-diphenyl diisocyanate (as -NCO)	202-966-0	101-68-8	0.005	-	-	-	Sens.
4,4'-Methylenedianiline, see 4, 4' Diaminodiphenyl-methane (DADPM)							
Methyl ethyl ketone (MEK)	201-159-0	78-93-3	200	600	300	900	Sk, IOELV
Methyl ethyl ketone peroxides (MEKP)	215-661-2	1338-23-4	-	-	0.2	1.5	-
Methyl ethyl ketoxime	202-496-6	96-29-7	3	10	10	33	Sens.
Methyl formate	203-481-7	107-31-3	50	125	100	250	IOELV, Sk
5-Methylheptan-3-one	208-793-7	541-85-5	10	53	20	107	IOELV
5-Methylhexan-2-one, see Isoamyl methyl ketone							
Methylhydrazine	200-471-4	60-34-4	0.01	0.02	-	-	Sk, Carc.1B
Methyl iodide	200-819-5	74-88-4	2	11	-	-	Sk
Methyl isoamyl ketone, see Isoamyl methyl ketone							
Methyl isobutyl carbinol	203-551-7	108-11-2	25	100	40	160	Sk
Methyl isobutyl ketone (MIBK)	203-550-1	108-10-1	20	83	50	208	Sk, IOELV
Methyl isocyanate (as -NCO)	210-866-3	624-83-9	-	-	0.02	-	Sens., IOELV
Methyl isopropyl ketone	209-264-3	563-80-4	20	70.5	-	-	-
Methyl mercaptan, see Methanethiol							
Methyl methacrylate	201-297-1	80-62-6	50	-	100	-	IOELV, Sens.
1-Methylnaphthalene	201-966-8	90-12-0	0.5	-	-	-	-
2-Methylnaphthalene	202-078-3	91-57-6					
Methyl parathion, see Parathion-methyl (ISO)							
2-Methylpentane-2,4-diol, see Hexylene glycol							
4-Methylpentan-2-ol, see Methyl isobutyl carbinol							
4-Methylpentan-2-one, see Methyl isobutyl ketone							
4-Methylpent-3-en-2-one, see Mesityl oxide							
4-Methyl-m-phenylene diisocyanate (as -NCO)	-	-	-	0.02	-	0.07	Sens.
2-Methylpropan-1-ol, see Iso-butyl alcohol							
2-Methylpropan-2-ol	200-889-7	75-65-0	100	300	-	-	-
Methyl propyl ketone, see Pentan-2-one							
1-Methyl-2-pyrrolidone	212-828-1	872-50-4	10	40	20	80	Sk, IOELV
Methyl silicate	211-656-4	681-84-5	1	6	-	-	-
α -Methylstyrene, see 2-Phenylpropene							
Methylstyrene, all isomers	246-562-2	25013-15-4	50	242	10	483	-
N-Methyl-N, 2,4,6-tetranitro-aniline, see Tetryl							

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Methyl vinyl ketone	201-160-0	78-94-4	-	-	0.2	-	Sk, Sens.
Metribuzin	244-209-7	21087-64-9	-	5	-	-	-
Mevinphos (ISO)	232-095-1	7786-34-7	0.01	0.1	-	-	Sk
Mica	-	12001-26-2	-	3 (R)	-	-	-
Mineral oil Pure, Highly & Severely Refined (Inhalable)	-	-	-	5	-	-	-
Mineral wool	-	-	2 fibres per millilitre of air	5	-	-	-
Molybdenum compounds (as Mo), soluble compounds insoluble compounds	231-107-2	7439-98-7	- - -	0.5 (R) 10 (I) 3 (R)	- - -	- - -	-
Monochloroacetic acid	201-178-4	79-11-8	0.5(IFV)	2	-	-	Sk
Monocrotophos	230-042-7	6923-22-4	-	0.05	-	-	Sk
Morpholine	203-815-1	110-91-8	10	36	20	72	Sk, IOELV
Naled (ISO), see 1,2 dibromo-2, 2 dichloro ethyl dimethyl phosphate	-	-	-	-	-	-	-
Naphtha (rubber solvent)	232-443-2	8030-30-6	-	-	-	-	Carc.1B
Naphthalene	202-049-5	91-20-3	10	50	-	-	IOELV
β-Naphthylamine	202-080-4	91-59-8	-	-	-	-	Carc.1A
1,5-Naphthylene diisocyanate (as -NCO)	221-641-4	3173-72-6	-	-	-	-	Sens.
Natural Rubber Latex (as inhalable allergenic proteins)	232-689-0	9006-04-6	-	0.0001	-	-	-
Neon	231-110-9	7440-01-9	-	-	-	-	Asphx.
Nickel	231-111-4	7440-02-0	-	0.5	-	-	Sens.
Nickel carbonyl	236-669-2	13463-39-3	0.05	0.12	-	-	Repr.1B
Nickel, inorganic compounds (as Ni) soluble compounds insoluble compounds	-	-	- -	0.1 0.5	- -	- -	-
Nickel, organic compounds (as Ni)	-	-	-	1	-	3	-
Nicotine	200-193-3	54-11-5	-	0.5	-	-	Sk, IOELV
Nitrapyrin	217-682-2	1929-82-4	-	10	-	20	-
Nitric acid	231-714-2	7697-37-2	-	-	1	2.6	IOELV
Nitric oxide	233-271-0	10102-43-9	2 (25)	2.5 (30)	(35)	(45)	IOELV Limit values in () apply to underground mining and tunnelling sector only until 21st August 2023
4-Nitroaniline	202-810-1	100-01-6	-	3	-	-	Sk
Nitrobenzene	202-716-0	98-95-3	0.2	1	-	-	Sk, IOELV
4-Nitrodiphenyl	202-204-7	92-93-3	-	-	-	-	Sk, Carc.1B
Nitroethane	201-188-9	79-24-3	20	62	100	312	IOELV, Sk
Nitrogen	231-783-9	7727-37-9	-	-	-	-	Asphx.
Nitrogen dioxide	233-272-6	10102-44-0	0.5 (3)	0.96 (5)	1 (5)	1.91 (9)	IOELV- Limit values in () apply to underground mining and tunnelling sector only until 21st August 2023

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Nitrogen monoxide, See nitric oxide							
Nitrogen trifluoride	232-007-1	7783-54-2	10	30	-	-	-
Nitroglycerine, see Glycerol trinitrate							
Nitromethane	200-876-6	75-52-5	20	50	-	-	-
1-Nitropropane	203-544-9	108-03-2	25	90	-	-	-
2-Nitropropane	201-209-1	79-46-9	5	18	-	-	Carc.1B
2-Nitrotoluene	201-853-3	88-72-2	2	11	-	-	Carc.1B Muta.1B
3-Nitrotoluene	202-728-6	99-08-1	2	11	-	-	-
4-Nitrotoluene	202-808-0	99-99-0	-	-	-	-	-
Nitro-o-toluidine	202-765-8	99-55-8	-	1	-	-	-
Nitrous oxide	233-032-0	10024-97-2	50	90	-	-	-
Nonane, all isomers	203-913-4	111-84-2	200	1050	-	-	-
Octachloronaphthalene	218-778-7	2234-13-1	-	0.1	-	0.3	Sk
n-Octane	203-892-1	111-65-9	300	1450	-	-	-
Orthophosphoric acid	231-633-2	7664-38-2	-	1	-	2	IOELV
Osmium tetroxide (as Os)	244-058-7	20816-12-0	0.0002	0.002	0.0006	0.006	-
Oxalic acid	205-634-3	144-62-7	-	1	-	-	IOELV
Oxalonitrile, see Cyanogen							
4,4'-Oxydi(benzenesulphonohydrazide)	201-286-1	80-51-3	-	0.1	-	-	-
2,2'-Oxydiethanol, see Diethylene glycol							
Oxygen difluoride	231-996-7	7783-41-7	0.05	0.11	0.05	0.11	-
Ozone	233-069-2	10028-15-6					
Heavy work			0.05	-	-	-	-
Moderate work			0.08	-	-	-	-
Light work			0.10	-	-	-	-
Heavy, moderate or light workloads (≤ 2 hrs)			0.20	-	-	-	-
Paracetamol, total inhalable dust	203-157-5	103-90-2	-	10	-	-	-
Paraffin wax, fume	232-315-6	8002-74-2	-	2	-	6	-
Paraquat	225-141-7	4685-14-7	-	0.5 0.1 (R)	-	-	-
Paraquat dichloride (ISO) respirable dust	217-615-7	1910-42-5	-	0.08	-	-	-
Parathion (ISO)	200-271-7	56-38-2	-	0.05 (IFV)	-	-	Sk
Parathion-methyl (ISO)	206-050-1	298-00-0	-	0.02 (IFV)	-	-	Sk
Pentaborane	243-194-4	19624-22-7	0.005	0.01	0.015	0.039	-
Pentachloronaphthalene	215-320-8	1321-64-8	-	0.5	-	-	Sk
Pentachloronitrobenzene	201-435-0	82-68-8	-	0.5	-	-	Sens.
Pentacarbonyl iron (as Fe)	236-670-8	13463-40-6	0.1	-	0.2	-	-
Pentachlorophenol	201-778-6	87-86-5	-	0.5	-	-	Sk
Pentaerythritol	204-104-9	115-77-5					
total inhalable dust			-	10	-	20	-
respirable dust			-	4	-	-	-
n-Pentane	203-692-4	109-66-0	1000		-	-	IOELV
iso-Pentane	201-142-8	78-78-4			-	-	
neo-Pentane	207-343-7	463-82-1					
2,4-Pentanedione	204-634-0	123-54-6	25	-	-	-	-
Pentan-2-one	203-528-1	107-87-9	200	700	250	875	-
Pentan-3-one	202-490-3	96-22-0	200	700	250	875	-
Pentyl acetate	211-047-3	628-63-7	50	270	100	540	IOELV
3-Pentylacetate	211-047-3	620-11-1	50	270	100	540	IOELV
Peracetic acid	201-186-8	79-21-0	-	-	0.4 (IFV)	-	-
Perchloroethylene, see Tetrachloroethylene							
Perchloromethyl mercaptan	209-840-4	594-42-3	0.1	0.76	-	-	-
Perchloryl fluoride	231-526-0	7616-94-6	3	14	6	28	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Perfluorobutyl ethylene (3,3,4,4,5,5,6,6,6,-nonafluorohexene)	243-053-7	19430-93-4	100	-	-	-	-
Perfluoroisobutylene	-	382-21-8	0.01	0.082	0.01	0.082	-
Persulphate salts, inorganic;			-				
Ammonium persulphate	231-786-5	7727-54-0		0.1			Sens.
Potassium persulphate	231-781-8	7727-21-1		0.1			Sens.
Sodium persulphate	231-892-1	7775-27-1		0.1			Sens.
Petrol (Gasoline)	86290-81-5	86290-81-5	300	-	500	-	-
Phenacyl chloride, see 2-Chloroacetophenone							
Phenol	203-632-7	108-95-2	2	8	4	16	Sk, IOELV
Phenothiazine	202-196-5	92-84-2	-	5	-	-	-
m-Phenylenediamine	203-584-7	108-45-2	-	0.1	-	-	-
p-Phenylenediamine	203-404-7	106-50-3	-	0.1	-	-	Sk
Phenyl-2,3-epoxypropyl ether	204-557-2	122-60-1	0.1	0.6	-	-	Carc.1B
Phenylethylenic, see Styrene							
Phenyl glycidyl ether, see Phenyl-2,3-epoxypropyl ether							
Phenylhydrazine	202-873-5	100-63-0	0.1	0.44	-	-	Carc.1B, Sk
Phenyl isocyanate	203-137-6	103-71-9	0.005	-	0.015	-	-
Phenyl mercaptan, see Benzenethiol							
Phenylphosphine	211-325-4	638-21-1	-	-	0.05	-	-
2-Phenylpropene	202-705-0	98-83-9	50	246	100	492	IOELV
Phorate (ISO)	206-052-2	298-02-2	-	0.05	-	0.2	Sk
Phosdrin, see Mevinphos (ISO)							
Phosgene	200-870-3	75-44-5	0.02	0.08	0.1	0.4	IOELV
Phosphine	232-260-8	7803-51-2	0.1	0.14	0.2	0.28	IOELV
Phosphoric acid, see Orthophosphoric acid							
Phosphorus, yellow	231-768-7	7723-14-0	-	0.1	-	0.3	-
Phosphorus, pentachloride	233-060-3	10026-13-8	-	1	-	-	IOELV
Phosphorus pentasulphide	215-242-4	1314-80-3	-	1	-	-	IOELV
Phosphorus trichloride	231-749-3	7719-12-2	0.2	1.5	0.5	3	-
Phosphoryl trichloride	233-046-7	10025-87-3	0.1				-
Phthalic anhydride	201-607-5	85-44-9	1	-	-	12	Sens.
m-Phthalodinitrile (Benzene-1,3-dicarbonitrile)	210-933-7	626-17-5	-	5 (IFV)	-	-	-
o-Phthalodinitrile	202-044-8	91-15-6	-	1 (IFV)	-	-	-
Picloram (ISO)	217-636-1	1918-02-1	-	10	-	20	-
Picric acid	201-865-9	88-89-1	-	0.1	-	0.3	Sk, IOELV
Piperazine	203-808-3	110-85-0	-	0.1	-	0.3	Sens., IOELV
Piperidine	203-813-0	110-89-4	1	3.5	-	-	Sk
Pindone (ISO) (2-pivaloylindan-1,3-dione)	201-462-8	83-26-1	-	0.1	-	-	-
Plaster of Paris							
total inhalable dust		26499-65-0	-	10	-	-	-
respirable dust			-	4	-	-	-
Platinum metal	231-116-1	7440-06-4	-	1	-	-	IOELV
Platinum salts, soluble (as Pt)	231-116-1	7440-06-4	-	0.002	-	-	-
Polychlorinated biphenyls (PCBs), see Chlorinated biphenyls							
Polyvinyl chloride (PVC)		9002-86-2	-	10	-	-	-
total inhalable dust			-	1(R)	-	-	-
respirable dust							
Portland Cement	266-043-4	65997-15-1	-	1 (R)	-	-	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m ³	ppm	mg/m ³	
Potassium cyanide (as cyanide)	205-792-3	151-50-8		1		5	IOELV Sk
Potassium hydroxide	215-181-3	1310-58-3	-	-	-	2	-
Prop-2-enal (see Acrolein)							
Propane (see aliphatic hydrocarbon gases)							
Propane-1,2-diol total (vapour and particulates) particulates	200-338-0	57-55-6	150 -	470 10	-	-	-
1,3-Propane sultone	214-317-9	1120-71-4	-	-	-	-	Carc.1B
n-Propanol	200-746-9	71-23-8	100	-	-	-	Sk
Propan-1-ol see n-Propanol							
Propan-2-ol, see Isopropyl alcohol							
Propargyl alcohol, see 2-Propyn-ol							
Propiolactone	200-340-1	57-57-8	0.5	1.5	-	-	Carc.1B
Propionaldehyde (Propanal)	204-623-0	123-38-6	20	-	-	-	-
Propionic acid	201-176-3	79-09-4	10	31	20	62	IOELV
Propoxur (ISO)	204-043-8	114-26-1	-	0.5	-	2	-
n-Propyl acetate	203-686-1	109-60-4	200	840	250	1050	-
n-Propyl alcohol, see n-Propanol							
Propylene	204-062-1	115-07-1	500	-	-	-	Asphx.
Propylene dinitrate (PGDN)	229-180-0	6423-43-4	0.05	0.3	-	-	Sk
Propylene dichloride	201-152-2	78-87-5	10	46	-	-	-
Propylene glycol, see propane-1,2-diol							
Propylene glycol dinitrate, see propylene dinitrate							
Propylene glycol monomethyl ether	203-539-1	107-98-2	100	375	150	568	IOELV
Propyleneimine	200-878-7	75-55-8	0.2	-	0.4	-	Carc.1B
Propylene oxide (1,2-Epoxypropane)	200-879-2	75-56-9	5	12	-	-	Carc.1B, Muta.1B
n-Propyl nitrate	210-985-0	627-13-4	25	107	40	172	-
2-Propyn-1-ol	203-471-2	107-19-7	1	2	3	6	Sk
Pulverised fuel ash total inhalable dust respirable	-	-	-	10 4	-	-	-
Pyrethrins (ISO)	232-319-8	8003-34-7	-	1	-	-	IOELV
Pyrethrum, see pyrethrins							
Pyridine	203-809-9	110-86-1	5	15	10	30	IOELV
2-Pyridylamine, see 2-Amino pyridine							
Pyrocatechol, see Catechol							
Quartz, respirable dust, (see Silica, crystalline)	238-878-4	14808-60-7	-	0.1	-	-	-
Quinone	203-405-2	106-51-4	0.1	0.4	-	-	-
RDX, see hexahydro-1,3,5-trinitro-1,3,5-triazine							
Refractory Ceramic Fibres (RCFs)	-	-	-	5mg/m ³ (1fibre/ml)	-	-	Carc.1B,
Resorcinol	203-585-2	108-46-3	10	45	-	-	Sk, IOELV
Rhodium (as Rh), metal fume and dust soluble salts	231-125-0	7440-16-6	-	0.1	-	0.3	-
-	-	-	-	0.001	-	0.003	-
Ronnel	206-082-6	299-84-3	-	5	-	-	-
Rosin core solder pyrolysis products (as airborne total resin acid)	-	-	-	0.05	-	0.15	Sens.
Rotenone (ISO)	201-501-9	83-79-4	-	5	-	-	-
Rouge total inhalable dust respirable dust	215-168-2	1309-37-1	-	10 4	-	-	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m ³	ppm	mg/m ³	
Rubber fume process dust	-	-	-	0.6 6	-	-	-
Rubber solvent (naphtha), see Naphtha (rubber solvent)							
Selenium and compounds, except hydrogen selenide (as Se)	231-957-4	7782-49-2	-	0.1	-	-	-
Selenium hexafluoride		7783-79-1	0.05	0.16	-	-	-
Sesone, see Sodium 2-(2,4-dichlorphenoxy) ethyl sulphate							
Silane	232-263-4	7803-62-5	5	-	-	-	-
Silica, amorphous total inhalable dust respirable dust	-	-	-	6 2.4	-	-	-
Silica, crystalline, respirable dust, (See Cristobalite, Quartz, Tridymite, Tripoli)	-	-		0.1	-	-	-
Silica, fused respirable dust	-	60676-86-0	-	0.08	-	-	-
Silicon Si total inhalable dust respirable dust	231-130-8	7440-21-3	-	10 4	-	-	-
Silicon carbide total inhalable dust respirable dust	206-991-8	409-21-2	-	10 3 Fibrous: 0.1 fibre/cc	-	-	
Silicon tetrahydride, see Silane							
Silver (metallic)	231-131-3	7440-22-4	-	0.1	-	-	IOELV
Silver (soluble compounds as Ag)	-	-	-	0.01	-	-	IOELV
Simazine	204-535-2	122-34-9	-	0.5	-	-	-
Sodium azide (as NaN ₃)	247-852-1	26628-22-8	-	0.1	-	0.3	Sk, IOELV
Sodium bisulfite	231-548-0	7631-90-5	-	5	-	-	-
Sodium Cyanide (as cyanide)	205-599-4	143-33-9	-	1	-	5	IOELV, Sk
Sodium 2-(2,4-dichlorphenoxy) ethyl sulphate	205-259-5	136-78-7	-	10	-	20	-
Sodium fluoroacetate	200-548-2	62-74-8	-	0.05	-	-	Sk
Sodium hydrogensulphite, see Sodium bisulfite							
Sodium hydroxide	215-185-5	1310-73-2	-	-	-	2	-
Sodium metabisulphite, see Disodium disulphite							
Starch total inhalable dust respirable dust	232-679-6	9005-25-8	-	10 4	-	-	-
Stearates (except lead stearate)	-	-	-	10	-	-	-
Stibine		7803-52-3	0.1		-	-	-
Stoddard solvent	232-489-3	8052-41-3	100	573	-	-	Carc.1B
Muta.1B							
Strontium chromate	232-142-6	7789-06-2	-	0.0005	-	-	Carc.1B
Strychnine	200-319-7	57-24-9	-	0.15	-	-	-
Styrene	202-851-5	100-42-5	20	85	40	170	-
Subtilisins (proteolytic enzymes as 100% pure crystalline enzyme)	232-752-2	9014-01-1	-	0.00006	-	0.00006	Sens.
Sucrose	200-334-9	57-50-1	-	10	-	20	-
Sulfometuron methyl [Methyl 2[[[(4,6-dimethyl-2-pyrimidinyl)amino]carbonyl]amino]sulphonyl]benzoate]	277-780-6	74222-97-2	-	5	-	-	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Sulphotep (TEDP)(ISO), see O,O,O'-'Tetraethyl dithiopyrophosphate (ISO)							
Sulphur dioxide	231-195-2	7446-09-5	0.5	1.3	1	2.7	IOELV
Sulphur hexafluoride	219-854-2	2551-62-4	1000	6000	1250	7500	-
Sulphuric acid	231-639-5	7664-93-9	-	0.05	-	-	IOELV
Sulphur monochloride	233-036-2	10025-67-9	-	-	1	6	-
Sulphur pentafluoride, see Disulphur decafluoride							
Sulphur tetrafluoride	232-013-4	7783-60-0	0.1	0.4	0.3	1	-
Sulphuryl difluoride	220-281-5	2699-79-8	5	20	10	40	-
Sulprofus	252-545-0	35400-43-2	-	0.1 (IFV)	-	-	-
2,4,5-T (ISO)2,4,5-Trichloro-phenoxyacetic acid)	202-273-3	93-76-5	-	10	-	20	-
TDI, see Toluene diisocyanate							
TEDP(ISO), see O,O,O'-'Tetraethyl dithiopyrophosphate							
TEPP (ISO), see O,O,O'-'Tetraethyl pyrophosphate							
TNT, see 2,4,6-trinitrotoluene							
Talc total inhalable dust respirable dust	238-877-9	14807-96-6	-	10 0.8	-	-	-
Tantalum	231-135-5	7440-25-7	-	5	-	10	-
Tellurium & compounds, except hydrogen telluride, (as Te)	236-813-4	13494-80-9	-	0.1	-	-	-
Tellurium hexafluoride	-	7783-80-4	0.02	-	-	-	-
Temephos	222-191-1	3383-96-8	-	1	-	-	-
Terbufos (ISO) (S-tert-Butylthiomethyl O,O-diethylphosphorodithioate)	235-963-8	13071-79-9	-	0.01 (IFV)	-	-	-
Terephthalic acid	202-830-0	100-21-0	-	10	-	-	-
Terphenyls, all isomers	247-477-3	26140-60-3	-	-	0.5	5	-
1,1,2,2-Tetrabromoethane	201-191-5	79-27-6	0.1 (IFV)	-	-	-	Sk
Tetrabromomethane, see Carbon tetrabromide							
Tetracarbonylnickel (as Ni), see nickel carbonyl							
1,1,1,2-Tetrachloro-2,2-difluoroethane	200-934-0	76-11-9	100	834	100	834	-
1,1,2,2-Tetrachloro-1,2-difluoroethane	200-935-6	76-12-0	50	417	-	-	-
1,1,2,2-Tetrachloroethane	201-197-8	79-34-5	1	6.9	-	-	Sk
Tetrachloroethylene	204-825-9	127-18-4	20	138	40	275	IOELV, Sk
Tetrachloromethane, see carbon tetrachloride							
Tetrachloronaphthalenes, all isomers	215-642-9	1335-88-2	-	2	-	-	-
O,O,O'-'Tetraethyl dithiopyrophosphate(ISO)	222-995-2	3689-24-5	-	0.1	-	-	Sk, IOELV
O,O,O'-'Tetraethyl pyrophosphate(ISO)	203-495-3	107-49-3	0.0008	0.01	-	-	Sk
Tetraethyl lead	201-075-4	78-00-2	-	0.10	-	-	Sk
Tetraethyl orthosilicate, see Ethyl silicate							
Tetrafluorodichloroethane, see 1,2-Dichlorotetrafluoroethane							
Tetrafluoroethylene	204-126-9	116-14-3	2	--	-	-	-
Tetrahydrofuran	203-726-8	109-99-9	50	150	100	300	Sk, IOELV
Tetrakis (hydroxymethyl) phosphonium chloride	204-707-7	124-64-1	-	2	-	-	-
Tetrakis (hydroxymethyl) phosphonium sulphate	-	55566-30-8	-	2	-	-	-

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m³	ppm	mg/m³	
Tetramethyl lead	200-897-0	75-74-1	-	0.15	-	-	Sk, Repr.1A
Tetramethyl orthosilicate, see Methyl silicate							
Tetramethyl succinonitrile	-	3333-52-6	0.5	3	-	-	Sk
Tetranitromethane	208-094-7	509-14-8	0.005	0.040	-	-	-
Tetrasodium pyrophosphate	231-767-1	7722-88-5	-	5	-	-	-
Tetryl	207-531-9	479-45-8	-	1.5	-	3	Sk
Thallium and compounds (as Tl)	231-138-1	7440-28-0	-	0.02	-	-	Sk
4,4'-Thiobis (6-tert-butyl-m-cresol), see 6,6'-Di-tert-butyl-4,4'-thio-di-m-cresol							
Thioglycolic acid, see Mercaptoacetic acid							
Thionyl chloride	231-748-8	7719-09-7	-	-	0.2	1.0	-
Thiram (ISO)	205-286-2	137-26-8	-	0.05 (IFV)	-	-	
Tin, as Sn Metal Oxide & inorganic compounds, except tin hydride Organic compounds	231-141-8	7440-31-5	-	2 2 0.1	-	0.2	IOELV
Titanium dioxide total inhalable dust respirable dust	236-675-5	13463-67-7	- -	10 4	- -	- -	-
o-Tolidine	204-358-0	119-93-7	-	-	-	-	Sk, Carc.1B
Toluene	203-625-9	108-88-3	50	192	100	384	Sk, IOELV
Toluene-2,4- or 2,6- diisocyanate (as -NCO)	209-544-5	584-84-9 91-08-7	0.001 (IFV)	- -	0.003 (IFV)	-	Sens.
p-Toluenesulphonyl chloride	202-684-8	98-59-9	-	-	-	5	-
o-Toluidine	202-429-0	95-53-4	0.2	0.9	-	-	Sk, Carc.1B,
m-Toluidine	203-583-1	108-44-1	0.2	0.9	-	-	Sk
p-Toluidine	203-403-1	106-49-0	0.2	0.9	-	-	Sk
1,4,7-Tri-(aza)-heptane, see Diethylene triamine							
Tribromomethane	200-854-6	75-25-2	0.5	5	-	-	Sk
Tributyl phosphate, all isomers	204-800-2	126-73-8	-	5	-	-	-
Tricarbonyl (etacyclopenta-dienyl) manganese (as Mn), see Manganese cyclopentadienyl tricarbonyl							
Tricarbonyl (methylcyclo-pentadienyl) manganese (as Mn)	235-166-5	12108-13-3	-	0.2	-	-	Sk
Trichloroacetic acid	200-927-2	76-03-9	0.5	-	-	-	-
1,2,4-Trichlorobenzene	204-428-0	120-82-1	2	15.1	5	37.8	Sk, IOELV
1,1,1-Trichlorobis (chlorophenyl) ethane	200-024-3	50-29-3	-	1	-	-	-
1,1,1-Trichloroethane	200-756-3	71-55-6	100	555	200	1110	IOELV
1,1,2-Trichloroethane	201-166-9	79-00-5	10	45	-	-	Sk
Trichloroethylene	201-167-4	79-01-6	10	-	25	-	Sk, Carc.1B
Trichlorofluoromethane	200-892-3	75-69-4	-	-	1000	5619	-
Trichloromethane, see Chloroform							
Trichloronaphthalene	215-321-3	1321-65-9	-	5	-	-	Sk
Trichloronitromethane, see Chloropicrin							
2,4,5-Trichlorophenoxyacetic acid (2,4,5-T(ISO))	202-273-3	93-76-5	-	10	-	-	-
1,2,3-Trichloropropane	202-486-1	96-18-4	0.005	-	-	-	Carc..1B Repr.1B
1,1,2-Trichlorotrifluoroethane	200-936-1	76-13-1	1000	7600	1250	9500	-
Tri-o-cresyl phosphate, see Tri-o-tolyl phosphate							
Tricyclohexyltin hydroxide (Cyhexatin)	236-049-1	13121-70-5	-	5	-	-	-

Substance			Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			EC No.	CAS No.	ppm	mg/m ³	
Tridymite, respirable dust (see Silica, Crystalline)	239-487-1	15468-32-3	-	0.1	-	-	-
Triethanolamine	203-049-8	102-71-6	-	5	-	-	-
Triethylamine	204-469-4	121-44-8	2	8.4	3	12.6	Sk, IOELV
Trifluorobromomethane	200-887-6	75-63-8	1000	6100	-	-	-
Triglycidyl isocyanurate, TGIC	219-514-3	2451-62-9	-	0.05	-	-	Muta.1B
Trimanganese tetraoxide	215-266-5	1317-35-7	-	0.5	-	-	-
Trimellitic anhydride	209-008-0	552-30-7	-	0.0005	-	0.002	Sens.
Trimetacresyl phosphate	209-241-8	563-04-2	-	0.05 (IFV)	-	-	-
Trimethylamine	200-875-0	75-50-3	5	-	-	-	-
Triorthocresyl phosphate	201-103-5	78-30-8	-	0.02 (IFV)	-	-	-
Triparacresyl phosphate	201-105-6	78-32-0	-	0.05 (IFV)	-	-	-
1,2,3-Trimethylbenzene	208-394-8	526-73-8	20	100	-	-	Sk, IOELV
1,2,4-Trimethylbenzene	202-436-9	95-63-6	20	100	-	-	IOELV
Trimethylbenzenes, all isomers or mixtures	247-099-9	25551-13-7	20	100	-	-	Sk, IOELV
3,5,5-Trimethylcyclohex-2-enone	201-126-0	78-59-1	-	-	5	25	-
Trimethyl phosphite	204-471-5	121-45-9	2	10	-	-	-
2,4,6-Trinitrophenol, see Picric acid							
2,4,6-Trinitrotoluene	204-289-6	118-96-7	-	0.1	-	-	Sk
Triorthocresyl phosphate, see Tri-o-tolyl phosphate,							
Triphenyl phosphate	204-112-2	115-86-6	-	3	-	-	-
Tripoli, respirable dust (see Silica, Crystalline)		1317-95-9	-	0.1	-	-	-
Tri-o-tolyl phosphate	201-103-5	78-30-8	-	0.1	-	0.3	-
Tungsten (as W), Metal and insoluble compounds	231-143-9	7440-33-7	-	5	-	10	-
Soluble compounds			-	1	-	3	-
Turpentine	232-350-7	8006-64-2	20	112	150	840	Sens.
Uranium compounds, natural, soluble (as U)	231-170-6	7440-61-1	-	0.2	-	0.6	-
n-Valeraldehyde	203-784-4	110-62-3	50	176	-	-	Sens.
Vanadium pentoxide, see Divanadium pentaoxide							
Vinyl acetate	203-545-4	108-05-4	5	18	10	35	IOELV
Vinyl benzene, see Styrene							
Vinyl bromide	209-800-6	593-60-2	0.5	2.2	-	-	Carc.1B
Vinyl chloride monomer (VCM)	200-831-0	75-01-4	3	7.77	-	-	BOELV Carc.1A,
4-Vinylcyclohexene	202-848-9	100-40-3	0.1	0.4	-	-	-
4-Vinylcyclohexene dioxide	203-437-7	106-87-6	0.1	0.6	-	-	-
Vinyl fluoride	200-832-6	75-02-5	1	-	-	-	-
Vinylidene chloride, see 1,1-Dichloroethylene							
Vinylidene fluoride	200-867-7	75-38-7	500	-	-	-	Carc.1A, Muta.1B
N-Vinyl -2-pyrrolidone	201-800-4	88-12-0	0.05	-	-	-	-
Vinyl toluene, all isomers, see Methylstyrene							
VM and P Naphtha	232-453-7	8032-32-4	-	-	-	-	Carc.1B, Muta.1B
Warfarin (ISO)	201-377-6	81-81-2	-	0.1	-	0.3	Repr.1A
White spirit, see Stoddard solvent							
Wood dust, (soft wood)	-	-	-	5	-	-	Sens.
Wood dust, (hard wood)	-	-	-	5	-	-	Sens., BOELV
Xylene, mixed isomers	215-535-7	1330-20-7	50	221	100	442	Sk, IOELV
Xylene, o-isomer	202-422-2	95-47-6	50	221	100	442	Sk, IOELV

Substance	EC No.	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
			ppm	mg/m ³	ppm	mg/m ³	
Xylene m-isomer	203-576-3	108-38-3	50	221	100	442	Sk, IOELV
m-Xylene α,α'-diamine (m-phenylenebis(methylamine))	216-032-5	1477-55-0	-	0.1	-	-	-
Xylene p-isomer	203-396-5	106-42-3	50	221	100	442	Sk, IOELV
Xylidine, all isomers	215-091-4	1300-73-8	0.5 (IFV)	2.5	-	-	Sk
Yttrium	231-174-8	7440-65-5	-	1	-	3	-
Zinc chloride, fume	231-592-0	7646-85-7	-	1	-	2	-
Zinc chromates	236-878-9	13530-65-9	-	0.01	-	-	Carc.1A
Zinc distearate total inhalable dust respirable dust	209-151-9	557-05-1	-	10	-	20	-
Zinc oxide, fume	215-222-5	1314-13-2	-	2 (R)	-	10	-
Zirconium compounds (as Zr)	231-176-9	7440-67-7	-	5	-	10	-

SCHEDULE 2

List of chemical agents for which it is the intention of the Health and Safety Authority to introduce an Occupational Exposure Limit Value (OELV) or to change the existing OELV in the next Code of Practice.

Chemical Agents typed in bold face are proposed new entrants

Comments may be made in writing to the Chemicals & Prevention Division of the Health and Safety Authority at Hebron House, Hebron Road, Kilkenny or its headquarters, Metropolitan Building, James Joyce Street, Dublin 1, Locall: 1890 289 389 or e-mail chemicals@hsa.ie concerning any of the limits referred to in this Schedule.

Substance	EC No.	CAS No.	2018-OELV (8-hour reference period except where STEL indicated)	New CoP-OELV (8 hour reference period except where STEL indicated)
Acetonitrile	200-835-2	75-05-8	40ppm/ 70 mg/m ³	Under review by European Commission (BOELV)
Acrylamide	201-173-7	79-06-1	0.03 mg/m ³	Commission Directive (EU) 2017/2398 0.1 mg/m ³ (Sk)
Arsenic and its salts	231-148-6	7440-38-2	0.01mg/m ³	Under review by European Commission (BOELV) 0.01mg/m ³
Benzene	200-753-7	71-43-2	1ppm/ 3.0mg/m ³ (Sk)	Commission Directive (EU) 2017/2398 (BOELV) 3.25 mg/m ³ (Sk)
Beryllium and its inorganic compounds	231-150-7	7440-41-7	0.0002mg/m ³	Under review by European Commission (BOELV) 0.0002mg/m ³
Buta-1,3-diene	203-450-8	106-99-0	2.2mg/m ³ /1ppm	- Commission Directive (EU) 2017/2398 (BOELV) 2.2mg/m ³ /1ppm
Cadmium and its inorganic compounds		7440-43-9	0.01mg/m ³ 0.002mg/m ³ (R)	Under review by European Commission (BOELV) 0.001mg/m ³
Calcium Chromate (as Cr)	237-366-8	13765-19-0	0.001mg/m ³	Withdraw proposed see Chromium compounds
Chlorine Dioxide	233-162-8	10049-04-4	0.1ppm STEL=0.3ppm	Withdraw OELV, STEL=0.1ppm
Chromium (VI) compounds (as Cr)	-	-	0.05mg/m ³ (Water Soluble) 0.01 mg/m ³ (insoluble)	Commission Directive (EU) 2017/2398 (BOELV) 0.01mg/m ³ until 17 Jan 2025; 0.005mg/m ³ thereafter
Chromium (VI) compounds (as Cr) -Welding/Plasma cutting process or processes that create fume		-	-	Commission Directive (EU) 2017/2398 (BOELV) 0.025mg/m ³ until 17 Jan 2025; 0.005mg/m ³ thereafter
Chromyl Chloride	239-056-8	14977-61-8	0.16mg/m ³ / 0.025ppm	Withdraw proposed see Chromium compounds
Cyanoacrylates, Ethyl and Methyl		7085-85-0 137-05-3		0.2ppm STEL=1ppm
Diesel Exhaust Particulate				Under review by European Commission (BOELV) 0.05mg/m³ measured as elemental carbon 0.5mg/m³ measured as nitrogen dioxide

Substance	EC No.	CAS No.	2014-OELV (8-hour reference period except where STEL indicated)	New CoP-OELV (8 hour reference period except where STEL indicated)
Epichlorohydrin	203-439-8	106-89-8	2mg/m ³	Under review by European Commission (BOELV) 1.9mg/m ³
Ethyl Cyanoacrylate	230-391-5	7085-85-0	0.2ppm	OELV = 0.2 ppm STEL=1ppm
Ethylene Dibromide	203-444-5	106-93-4	4mg/m ³	Under review by European Commission (BOELV) 0.8mg ³)
Ethylene Dichloride	203-458-1	107-06-2	20mg/m ³ STEL=40mg/m ³	Under review by European Commission (BOELV) 8.2mg/m ³ , Remove STEL (Sk, BOELV)
Ethylene Oxide	200-849-9	75-21-8	10mg/m ³ / 5ppm	Commission Directive (EU) 2017/2398 BOELV 1.8mg/m ³ / 1ppm -
Formaldehyde	200-001-8	50-00-0	0.2ppm STEL=0.4ppm	Under review by European Commission (BOELV) 0.3ppm 0.6ppm (STEL) Sk
Hydrazine	206-114-9	302-01-2	0.01mg/m ³ / 0.01ppm	Commission Directive (EU) 2017/2398 (BOELV) 0.013mg/m ³ / 0.01 ppm
Iodoform	200-874-5	75-47-8	0.6ppm STEL=1ppm	0.2ppm (IFV), withdraw STEL
Isopropyl acetate	203-561-1	108-21-4	100ppm STEL=200ppm	Withdraw OELV & Merge
Methyl 2 cyanoacrylate	205-275-2	137-05-3	0.2ppm/ 1mg/m ³	Withdraw OELV & Merge as Cyanoacrylates
4,4'-Methylenebis(2-chloroaniline) (MOCA)	202-918-9	101-14-4	0.01mg/m ³	Under review by European Commission (BOELV) 0,01mg/m ³
4,4-Methylenedianiline	202-974-4	101-77-9	0.1ppm/ 0.08mg/m ³	Under review by European Commission(BOELV), 0.08mg/m ³
Nickel and its inorganic compounds			Soluble 0.1mg/m ³ Insoluble 0.5mg/m ³	Under review by European Commission
2-Nitropropane	201-209-1	79-46-9	5ppm/18mg/m ³	Commission Directive (EU) 2017/2398 (BOELV) No change in limit values – BOELV notation required
Oils that have been used before in internal combustion engines to lubricate & cool the moving parts within the engine	-	-	-	Under review by European Commission Sk (BOELV)
PAH Mixtures containing benzo[a]pyrene	-	-	-	Under review by European Commission Sk (BOELV)
Paraquat , as the cation		1910-42-5, 2074-50-2, 4685-14-7	0.5mg/m ³ 0.1mg/m ³ (R)	0.05mg/m ³ (l)
Propyl acetate isomers [n-Propyl acetate & Isopropyl acetate]		109-60-4 108-21-4	-	100ppm STEL=150ppm
Propylene oxide (1,2-Epoxypropane)	200-879-2	75-56-9	12mg/m ³ /5ppm	Commission Directive (EU) 2017/2398 (BOELV) 2.4mg/m ³ /1ppm
Refractory Ceramic Fibres (RCFs)			5mg/m ³ / 1 fibre/ml	Commission Directive (EU) 2017/2398 (BOELV) 0.3f/ml
Respirable Crystalline Silica dust			0.1mg/m ³	Commission Directive (EU) 2017/2398 (BOELV) 0.1mg/m ³ -
Strontium Chromate	232-142-6	7789-06-2	0.0005mg/m ³	Withdraw OELV




Substance	EC No.	CAS No.	2014-OELV (8-hour reference period except where STEL indicated)	New CoP-OELV (8 hour reference period except where STEL indicated)
Styrene oxide		96-09-3	-	1ppm
o-Toluidine	202-429-0	95-53-4	0.9mg/m ³ / 0.2ppm	0.5mg/m ³ /0.1ppm Sk BOELV - Commission Directive (EU) 2017/2398
Trichloroethylene	201-167-4	79-01-6	10ppm/ 54mg/m ³ STEL= 25ppm/ 134mg/m ³	Under review by European Commission (BOELV) 54.7mg/m ³ STEL=164mg/m ³
Vinyl Bromide (Bromoethylene)	209-800-6	593-60-2	2.2mg/m ³ / 0.5ppm	Commission Directive (EU) 2017/2398 (BOELV) 4.4mg/m ³ / 1ppm
Vinyl chloride monomer (VCM)	200-831-0	75-01-4	7.77mg/m ³ / 3ppm	Commission Directive (EU) 2017/2398 (BOELV) 2.6mg/m ³ / 1ppm
Wood dust (hardwood)			5mg/m ³	Commission Directive (EU) 2017/2398 (BOELV) 3mg/m ³ –until 17 Jan 2023, 2mg/m ³ thereafter
Zinc chromates	236-878-9	13530-65-9	0.01mg/m ³	Withdraw OELV

SCHEDULE 3

Chemical Abstracts Service (CAS) Number Index

CAS Number	
50-00-0	Formaldehyde
50-29-3	1,1,1-Trichlorobis (chlorophenyl) ethane, [DDT], [Dichlorodiphenyl trichloroethane]; 2,2-Bis(p-chlorophenyl)-1,1-trichloroethane)
50-32-8	Benzo[a]pyrene
50-78-2	o-Acetyl salicylic acid; [Aspirin]
52-68-6	Trichlorphon
54-11-5	Nicotine
55-63-0	Glycerol trinitrate; [Nitroglycerine]
56-23-5	Carbon tetrachloride; [tetrachloromethane]
56-38-2	Parathion (ISO)
56-55-3	Benz[<i>q</i>]anthracene
56-72-4	Coumaphos
56-81-5	Glycerol, mist
57-11-4	Stearic acid
57-12-5	Cyanides
57-14-7	Dimethylhydrazine
57-24-9	Strychnine
57-50-1	Sucrose
57-55-6	Propan-1, 2-diol; [Propylene glycol]
57-57-8	Propiolactone
57-74-9	Chlordane (ISO)
58-89-9	Lindane
60-29-7	Ether; [Diethyl ether]; [Ethyl ether]
60-34-4	Methylhydrazine
60-35-5	Acetamide
60-57-1	Dieldrin (ISO)
61-82-5	3-Amino-1,2,4 Triazole
62-53-3	Aniline
62-73-7	Dichlorvos (ISO); [DDVP]
62-74-8	Sodium fluoroacetate
62-75-9	N-Nitrosodimethylamine
63-25-2	Carbaryl (ISO)
64-17-5	Ethanol; [Ethyl alcohol]
64-18-6	Formic acid
64-19-7	Acetic acid
64-67-5	Diethyl sulphate
67-56-1	Methanol; [Methyl alcohol]
67-63-0	Isopropyl alcohol; [Propan-2-ol]
67-64-1	Acetone
67-66-3	Chloroform; [Trichloromethane]
67-72-1	Hexachloroethane
68-11-1	Mercaptoacetic acid; [Thioglycollic acid]
68-12-2	Dimethylformamide
71-23-8	n-Propanol; [n-Propyl alcohol]; [Propan-1-ol]
71-36-3	Butan-1-ol; [n-Butyl alcohol]
71-43-2	Benzene
71-55-6	1,1,1-Trichloroethane; [Methyl chloroform]
72-20-8	Endrin (ISO)
72-43-5	Methoxychlor (ISO); [DMDT]; [2,2 Bis(p-methoxyphenyl)-1,1,1-trichloroethane]
74-82-8	Methane
74-83-9	Bromomethane; [Methyl bromide]
74-84-0	Ethane
74-85-1	Ethylene
74-86-2	Acetylene
74-87-3	Chloromethane; [Methyl chloride]
74-88-4	Methyl iodide; [Iodomethane]
74-89-5	Methylamine
74-90-8	Hydrogen cyanide



CAS Number	
74-93-1	Methanethiol; [Methyl mercaptan]
74-96-4	Ethyl bromide; [Bromoethane]
74-97-5	Bromochloromethane; [Chlorobromomethane]
74-98-6	Propane
74-99-7	Methyl acetylene
75-00-3	Ethyl chloride; [Chloroethane]
75-01-4	Vinyl chloride(VCM); [Chloroethylene]
75-02-5	Vinyl fluoride
75-04-7	Ethylamine
75-05-8	Acetonitrile
75-07-0	Acetaldehyde
75-08-1	Ethanethiol; [Ethyl mercaptan]
75-09-2	Dichloromethane; [Methylene chloride]
75-12-7	Formamide
75-15-0	Carbon disulphide
75-18-3	Dimethyl sulphide
75-21-8	Ethylene oxide
75-25-2	Tribromomethane; [Bromoform]
75-28-5	Isobutane
75-31-0	Isopropylamine
75-34-3	1,1-Dichloroethane; [Ethylidene dichloride]
75-35-4	1,1-Dichloroethylene; [Vinylidene chloride]
75-38-7	Vinylidene fluoride
75-43-4	Dichlorofluoromethane; [Fluorodichloromethane]
75-44-5	Phosgene; [Carbonyl chloride]
75-45-6	Difluorochloromethane; [Chlorodifluoromethane]
75-47-8	Iodoform
75-50-3	Trimethylamine
75-52-5	Nitromethane
75-55-8	Propyleneimine
75-56-9	Propylene oxide
75-61-6	Difluorodibromomethane; [Dibromodifluoromethane]
75-63-8	Trifluorobromomethane; [Bromotrifluoromethane]
75-65-0	2-Methylpropan-2-ol; [tert-Butyl alcohol]
75-69-4	Trichlorofluoromethane; [Fluorotrichloromethane]
75-71-8	Dichlorodifluoromethane; [Difluorodichloromethane]
75-74-1	Tetramethyl lead
75-83-2	2,2 Dimethyl butane
75-86-5	Acetone cyanohydrin
75-91-2	Tert-Butyl hydroperoxide
75-99-0	Dichloropropionic acid
76-03-9	Trichloroacetic acid
76-06-2	Chloropicrin; [Trichloronitromethane]
76-11-9	1,1,1,2-Tetrachloro-2,2-difluoroethane
76-12-0	1,1,2,2-Tetrachloro-1,2-difluoroethane
76-13-1	1,1,2-Trichlorotrifluoroethane
76-14-2	1,2-Dichlorotetrafluoroethane; [Tetra-fluoro-dichloro-ethane]; [Cryofluorane]; [INN]
76-15-3	Chloropentafluoroethane
76-22-2	Bornan-2-one; [Camphor]
76-44-8	Heptachlor (ISO)
77-47-4	Hexachlorocyclopentadiene
77-73-6	Dicyclopentadiene
77-78-1	Dimethyl sulphate
78-00-2	Tetraethyl lead
78-10-4	Ethyl silicate; [Tetra-ethyl-orthosilicate]
78-30-8	Tri-o-toly phosphat e; [Triortho-cresyl phosphate]
78-32-0	Triparacresyl phosphate
78-34-2	Dioxathion (ISO)
78-59-1	3,5,5-Trimethylcyclohex-2-enone; [Isophorone]
78-78-4	iso-Pentane
78-83-1	Isobutyl alcohol; [2-methyl propan-1-ol]
78-87-5	Propylene dichloride
78-89-7	2-Chloro-1-propanol

CAS Number	
78-92-2	Butan-2-ol; [sec-Butyl alcohol]
78-93-3	Methyl ethyl ketone (MEK); [But-2-one]
78-94-4	Methyl vinyl ketone; [Butenone]
78-95-5	Chloroacetone
79-00-5	1,1,2-Trichloroethane
79-01-6	Trichloroethylene
79-04-9	Chloroacetyl chloride
79-06-1	Acrylamide
79-09-4	Propionic acid
79-10-7	Acrylic acid
79-11-8	Monochloracetic acid
79-20-9	Methyl acetate
79-21-0	Peracetic acid
79-24-3	Nitroethane
79-27-6	1,1,2,2-Tetrabromoethane; [Acetylene tetrabromide]
79-29-8	2,3-Dimethyl butane
79-34-5	1,1,2,2-Tetrachloroethane
79-41-4	Methacrylic acid
79-43-6	Dichloroacetic acid
79-44-7	Dimethyl carbamoyl chloride
79-46-9	2-Nitropropane
80-05-7	Bisphenol A (4,4'-isopropylidenediphenol)
80-51-3	p,p'-Oxybis(benzenesulfonyl hydrazide)
80-56-8	a-Pinene
80-62-6	Methyl methacrylate
81-81-2	Warfarin (ISO)
82-68-8	Pentachloronitrobenzene
82-26-1	Pindone
83-79-4	Rotenone (ISO); [Derris, commercial]
84-61-7	Dicyclohexyl phthalate
84-66-2	Diethyl phthalate
84-69-5	Diisobutyl phthalate
84-74-2	Dibutyl phthalate
84-76-4	Dinonyl phthalate
85-00-7	Diquat dibromide (ISO)
85-42-7	Cyclohexane-1,2-dicarboxylic anhydride
85-44-9	Phthalic anhydride
86-50-0	Azinphos-methyl
86-88-4	ANTU (a-Naphthylthiourea)
85-68-7	Butyl benzyl phthalate; [Benzyl butyl phthalate]
86-50-0	Guthion; [Azinphos-methyl]
87-68-3	Hexachlorobutadiene
87-86-5	Pentachlorophenol
88-12-0	N-Vinyl-2-pyrrolidone
88-72-2	2-Nitrotoluene
88-89-1	Picric acid; [2,4,6-Trinitrophenol]
89-72-5	2-sec-Butylphenol
90-04-0	o-Anisidine
90-12-0	1-Methyl naphthalene
91-08-7	Toulene-2,6-diisocyanate
91-15-6	o-Phthalodinitrile
91-20-3	Naphthalene
91-57-6	2-Methyl naphthalene
91-59-8	β -Naphthylamine
91-94-1	3,3-Dichlorobenzidine
92-52-4	Biphenyl; [Diphenyl]
92-67-1	4-Aminodiphenyl
92-84-2	Phenothiazine
92-87-5	Benzidene
92-93-3	4-Nitrodiphenyl
93-76-5	2,4,5-Trichloro-phenoxyacetic acid; [2,4,5-T (ISO)]
94-36-0	Dibenzoyl peroxide; [Benzoyl peroxide]
94-75-7	2,4-Dichlorophenoxyacetic acid; [2,4-D (ISO)]

CAS Number	
95-13-6	Indene
95-47-6	Xylene, o-isomer
95-48-7	o-Cresol
95-49-8	2-Chlorotoluene
95-50-1	1,2 Dichlorobenzene
95-53-4	o-Toluidine
95-54-5	o-Phenylenediamine
95-65-8	3,4 Dimethylphenol
95-87-4	2,5 Dimethylphenol
96-05-9	Allyl methacrylate
96-09-3	Styrene oxide
96-14-0	3-Methyl pentane
96-18-4	1,2,3-Trichloropropane
96-22-0	Pentan-3-one; [Diethyl ketone]
96-29-7	Methyl ethyl ketoxime
96-33-3	Methyl acrylate
96-69-5	6,6'-di-tert-butyl-4,4'-thio-di-m-cresol; [4,4'-Thiobis (6-tert-butyl-m-cresol)]
97-77-8	Disulfiram
98-00-0	Furfuryl alcohol
98-01-1	2-Furaldehyde (Furfural)
98-07-7	Benzotrichloride
98-51-1	p-tert Butyltoluene
98-59-9	p-Toluenesulphonyl chloride
98-82-8	Isopropyl benzene; [Cumene]
98-83-9	2-Phenylpropene; [-Methyl styrene]
98-86-2	Acetophenone
98-88-4	Benzoyl chloride
98-95-3	Nitrobenzene
99-08-1	3-Nitrotoluene
99-99-0	4-Nitrotoluene
99-55-8	5-Nitro-o-toluimide
99-65-0	m-Dinitrobenzene
100-00-5	1-Chloro-4-nitrobenzene
100-01-6	4-Nitroaniline
100-21-0	Terephthalic acid
100-25-4	p-Dinitrobenzene
100-37-8	2-Diethylaminoethanol
100-40-3	4-Vinylcyclohexene
100-41-4	Ethylbenzene
100-42-5	Styrene; [Phenyl ethylene]; [Vinyl benzene]
100-44-7	Benzyl chloride; [Chlorotoluene]
100-61-8	N-Methylaniline
100-63-0	Phenylhydrazine
100-74-3	4-Ethylmorpholine
101-14-4	MbOCA; [4,4'Methylene bis-(2-chloroaniline)]; [2,2'-Dichloro-4,4'methylene-dianiline]
101-68-8	4,4'-Methylene-diphenyl diisocyanate; [MDI]
101-77-9	4,4-Diaminodiphenylmethane (DADPM); [4,4'-methyleneedianiline, (MDA)]; [DDM]
101-84-8	Diphenyl ether
102-54-5	Ferrocene; [Dicyclopentadienyliron]
102-71-6	Triethanolamine
102-81-8	2-N-Dibutylaminoethanol
103-71-9	Phenyl isocyanate
103-90-2	Paracetamol
104-94-9	p-Anisidine
105-46-4	sec-Butyl acetate
105-60-2	α-Caprolactam; [1,6-Hexanolactam]
105-67-9	2,4 Dimethylphenol
106-35-4	Heptan-3-one; [Ethyl butyl ketone]
106-42-3	Xylene p-isomer
106-44-5	p-Cresol
106-46-7	1,4-Dichlorobenzene
106-49-0	p-Toluidine
106-50-3	p-Phenylenediamine


CAS Number	
106-51-4	Quinone; [p-Benzoquinone]
106-87-6	4-Vinylcyclohexene dioxide; [1,2-epoxy-4-epoxyethylcyclohexane]
106-89-8	Epichlorohydrin; [1-Chloro-2,3-epoxy propane ether]
106-92-3	Allyl 2,3-epoxypropyl ether; [Allyl glycidyl ether]; [AGE]
106-93-4	Ethylene dibromide; [1,2-Dibromoethane]
106-94-5	1-Bromopropane
106-95-6	Allyl bromide
106-97-8	Butane
106-98-9	n-Butene
106-99-0	Buta-1,3-diene
107-01-7	2-Butene(mixture of trans- and cis- isomers)
107-02-8	Acrolein; [Acryaldehyde]
107-05-1	Allyl chloride
107-06-2	1,2-Dichloroethane; [Ethylenedichloride]
107-07-3	Ethylene chlorohydrin; [2-Chloroethanol]
107-13-1	Acrylonitrile
107-15-3	Ethylenediamine; [1,2-Diamionethane]
107-18-6	Allyl alcohol
107-19-7	Prop-2-yn-1-ol; [Propargyl alcohol]
107-20-0	Chloroacetaldehyde
107-21-1	Ethylene glycol ; [1,2-dihydroxybenzene]; [Ethane-1,2-diol]
107-22-2	Glyoxal
107-30-2	Chloromethyl methyl ether
107-31-3	Methyl formate
107-41-5	Hexylene glycol; [2-methylpentane-2,4-dio]
107-49-3	O,O,O'-Tetraethyl pyrophosphate(ISO); [TEPP]
107-66-4	Dibutyl hydrogen phosphate; [Di-n-butyl phosphate]
107-83-5	2-Methyl pentane
107-87-9	Pantan-2-one; [Methyl propyl ketone]
107-98-2	Propylene glycol monomethyl ether; [1-Methoxy propan-2-ol]
108-03-2	1-Nitropropane
108-05-4	Vinyl acetate
108-08-7	2,4 - Dimethylpentane
108-10-1	Methyl isobutyl ketone (MIBK); [Hexone]; Isobutyl methyl ketone]; [4-methyl pentan-2-one]
108-11-2	Methyl isobutyl carbinol; [4-Methyl pentane-2-ol]
108-18-9	Diisopropylamine
108-20-3	Isopropyl ether; [Diisopropyl ether]
108-21-4	Isopropyl acetate
108-23-6	Isopropyl chloroformate
108-24-7	Acetic anhydride
108-31-6	Maleic anhydride
108-38-3	Xylene m-iosmer
108-39-4	m-Cresol
108-44-1	m-Toluidine
108-45-2	m-Phenylenediamine
108-46-3	Resorcinol; [m-Dihydroxy benzene]
108-57-6	Divinylbenzene
108-65-6	2-Methoxy-1-methylethylacetate
108-67-8	Mesitylene; [1,3,5-trimethyl benzene]
108-68-9	3,5-Dimethylphenol
108-83-8	Diisobutyl ketone; [2,6-Dimethyl heptan-4-one]
108-84-9	1,3-Dimethylbutyl acetate
108-87-2	Methylcyclohexane
108-88-3	Toluene
108-90-7	Chlorobenzene
108-91-8	Cyclohexylamine
108-93-0	Cyclohexanol
108-94-1	Cyclohexanone
108-95-2	Phenol
108-98-5	Benzenthiole; Phenyl mercaptan]
109-59-1	Isopropoxyethanol
109-60-4	n-Propyl acetate
109-63-7	Boron trifluoride

CAS Number	
109-66-0	n-Pentane
109-73-9	n-Butylamine
109-79-5	Butanethiol; [n-Butyl mercaptan]
109-86-4	2-Methoxyethanol; [Ethylene glycol monoethyl ether]
109-87-5	Methylal; Dimethoxy methane]
109-89-7	Diethylamine
109-90-0	Ethyl isocyanate
109-94-4	Ethyl formate
109-99-9	Tetrahydrofuran
110-12-3	Isoamyl methyl ketone; [Methyl isoamyl ketone]; [5-Methylhexan-2-one]
110-19-0	Isobutyl acetate
110-43-0	Heptan-2-one; [Methyl-n-amyl-ketone]
110-49-6	2-Methoxyethyl acetate; [Ethylene glycol monomethyl ether acetate]
110-54-3	n-Hexane
110-62-3	n-Valeraldehyde
110-80-5	2-Ethoxyethanol; [Ethylene glycol monoethyl ether]; [Glycol monoethyl ether]
110-82-7	Cyclohexane
110-83-8	Cyclohexene
110-85-0	Piperazine
110-86-1	Pyridine
110-89-4	Piperidine
110-91-8	Morpholine
111-15-9	2-Ethoxyethyl acetate; [Ethylene glycol monoethyl ether acetate]
111-30-8	Glutaraldehyde
111-40-0	Diethylene triamine; [2,2'-Iminodi(ethylamine)]; [2,2-Diaminodiethylamine]; [1,4,7-Tri-(aza)-heptane]
111-42-2	Diethanolamine; [2,2'-Iminodiethanol]
111-44-4	Dichloroethyl ether
111-46-6	Diethylene glycol; [2,2'-Oxydiethanol]
111-65-9	n-Octane
111-69-3	Adiponitrile
111-76-2	2-Butoxyethanol; [Ethylene glycol monobutyl ether]
111-77-3	2-(2-Methoxyethoxy)ethanol
111-84-2	Nonane
112-07-2	2-Butoxyethyl acetate
112-34-5	2-(2-Butoxyethoxy)ethanol
112-55-0	Dodecyl mercaptan
114-26-1	Propoxur (ISO)
115-07-1	Propylene
115-11-7	Isobutene
115-10-6	Dimethyl ether
115-29-7	Endosulfan (ISO)
115-77-5	Pentaerythritol
115-86-6	Triphenyl phosphate
115-90-2	Fensulfothion
116-06-3	Aldicarb
116-14-3	Tetrafluoroethylene
116-15-4	Hexafluoropropylene
117-81-7	Di-sec-octyl phthalate; [Di(2-ethyl hexyl) phthalate]; [Bis(2-ethyl hexyl) phthalate]
118-52-5	1,3-Dichloro-5,5-dimethyl-hydantoin
118-74-1	Hexachlorobenzene
118-96-7	2,4,6-Trinitrotoluene; [TNT]
119-93-7	o-Tolidine
120-80-9	Catechol; [Pyrocatechol]
120-82-1	1,2,4-Trichlorobenzene
121-44-8	Triethylamine
121-45-9	Trimethyl phosphite
121-69-7	N,N-Dimethylaniline
121-75-5	Malathion (ISO)
121-82-4	Hexahydro-1,3,5-trinitro-1,3,5-triazine; [Cyclonite]; [RDX]
122-34-9	Simazine
122-39-4	Diphenylamine
122-60-1	Phenyl-2,3-epoxypropyl ether; [Phenyl glycidyl ether]; [PGE]

CAS Number	
123-19-3	Dipropyl ketone
123-31-9	Hydroquinone; [Dihydroxybenzene]
123-38-6	Propionaldehyde
123-39-7	Monomethylformamide
123-42-2	Diacetone alcohol; [4-hydroxy-4-methyl-2-pentanone]
123-51-3	Isoamyl alcohol; [3-Methylbutan-1-ol]
123-54-6	2,4-Pentanedione
123-73-9	trans But-2-enal; [Crotonaldehyde]
123-77-3	C, C'-azodi(formamide); [Azodicarbonamide]
123-86-4	Butyl acetate
123-91-1	1,4-Dioxane, tech. Grade
123-92-2	Isopentyl acetate; [Isoamyl acetate]
124-04-9	Adipic acid
124-09-4	1,6 Hexanediamine
124-38-9	Carbon dioxide
124-40-3	Dimethylamine
126-73-8	Tributyl phosphate
126-98-7	Methacrylonitrile; [Methylacrylonitrile]
126-99-8	β-Chloroprene; [2-Chloro-1,3-butadiene]
127-18-4	Tetrachloroethylene; [Perchloroethylene]
127-19-5	N,N'-Dimethylacetamide
128-37-0	2,6-Ditertiary-butyl-para- cresol
131-11-3	Dimethyl phthalate
131-17-9	Diallyl phthalate
133-06-2	Captan (ISO)
136-78-7	Sodium 2-(2,4-dichlorophenoxy) ethyl sulphate; [Sesone]
137-05-3	Methyl 2-cyanoacrylate
137-26-8	Thiram (ISO)
138-22-7	Butyl lactate
140-11-4	Benzyl acetate
140-88-5	Ethyl acrylate
141-32-2	Butyl acrylate
141-43-5	2-Aminoethanol; [Ethanolamine]
141-66-2	Dicrotophos
141-78-6	Ethyl acetate
141-79-7	Mesityl oxide; [4-Methyl pent-3-en-2-one]
142-64-3	Piperazine dihydrochloride
142-82-5	n-Heptane
144-62-7	Oxalic acid
143-33-9	Sodium Cyanide
148-01-6	Dinitolmide
149-26-8	2-(2,4-dichlorophenoxy)ethyl hydrogensulphate); [2,4-DES]
149-57-5	Ethyl hexanoic acid
150-76-5	4-Methoxyphenol; [Mequinol]
151-56-4	Ethyleneimine; [Aziridine]
151-67-7	Halothane
156-62-7	Calcium cyanamide
205-99-2	Benzo[β]fluroanthene
287-92-3	Cyclopentane
298-00-0	Parathion-methyl (ISO); [Methyl parathion]
298-02-2	Phorate (ISO)
298-04-4	Disulfoton (ISO)
299-84-3	Ronnel; [Fenchlorphos(ISO)]
299-86-5	Crufomate
300-76-5	1,2 -dibromo-2,2-dichloro ethyl dimethyl phosphate; [Naled]; [Dibrom]
302-01-2	Hydrazine
309-00-2	Aldrin (ISO)
314-40-9	Bromacil (ISO)
330-54-1	Diuron (ISO)
333-41-5	Diazinon (ISO)
334-88-3	Diazomethane
353-50-4	Carbonyl fluoride
382-21-8	Perfluoroisobutylene


CAS Number	
409-21-2	Silicon Carbide
420-04-2	Cyanamide
460-19-5	Cyanogen; [Oxalonitrile]
463-51-4	Ketene
463-82-1	neo-Pentane
479-45-8	Tetryl; [N-Methyl-N 2,4,6-tetranitrol-aniline]
504-29-0	2-Aminopyridine; [2-Pyridylamine]
506-68-3	Cyanogen Bromide
506-77-4	Cyanogen chloride
509-14-8	Tetranitromethane
526-73-8	1,2,3 - Trimethylbenzene
532-27-4	2-Chloroacetophenone; [Phenacyl chloride]
534-52-1	Dinitro-o-cresol; [2-Methyl-4,6-dinitrophenol]
540-59-0	Acetylene Dichloride; [1,2-dichloroethylene, cis:trans isomers 60:40]
540-88-5	tert-Butyl acetate
541-41-3	Ethyl chloroformate
541-85-5	5-Methylheptan-3-one; [ethylamyl ketone]
542-75-6	1,3-Dichloropropene, cis and trans isomers
542-88-1	Bis(chloromethyl)ether (BCME)
542-92-7	Cyclopentadiene
546-93-0	Magnesite
552-30-7	Trimellitic anhydride; [Benzene-1,2,4-tricarboxylic acid 1,2-anhydride]
556-52-5	Glycidol
557-04-0	Magnesium stearates
557-05-1	Zinc distearate
558-13-4	Carbon tetrabromide; [Tetrabromomethane]
563-80-4	Methyl isopropyl ketone
583-60-8	2-Methylcyclohexanone
584-84-9	Toluene diisocyanate; [TDI]
591-78-6	Hexan-2-one
592-34-7	n-Butyl chloroformate
593-60-2	Vinyl bromide; [Bromoethylene]
594-42-3	Perchloromethyl mercaptan
594-72-9	1,1-Dichloro-1-nitroethane
598-56-1	N,N-Dimethylethylamine
600-25-9	1-Chloro-1-nitropropane
603-34-9	Triphenylamine
608-73-1	γ -Hexachlorocyclohexane; [Lindane]; [BHC]; [HCH(ISO)]
620-11-1	3-Pentylacetate
624-41-9	2-Methylbutyl acetate
624-83-9	Methyl isocyanate
624-92-0	Dimethyl disulphide
625-16-1	Tert-Amyl acetate
626-38-0	1-Methylbutyl acetate; [sec-Amyl acetate]
627-13-4	n-Propyl nitrate
628-63-7	Pentyl acetate; [n-Amyl acetate]
628-96-6	Ethylene glycol dinitrate; [Ethylene dinitrate]
630-08-0	Carbon monoxide
646-06-0	1,3-Dioxolane
681-84-5	Methyl silicate; [Tetra-methyl ortho silicate]
684-16-2	Hexafluoroacetone
764-41-0	1,4-Dichloro-2-butene
768-52-5	n-Isopropylaniline
822-06-0	Hexamethylene diisocyanate
872-50-4	1-Methyl-2-pyrrolidone
999-61-1	2-Hydroxypropyl acrylate
1024-57-3	Heptachlor epoxide
1120-71-4	1,3-Propane sultone
1189-85-1	tert-Butyl chromate
1300-73-8	Xyliidine (mixed isomers), [Amino dimethyl benzene]
1302-74-5	Emery
1303-86-2	Boron oxide; [Diboron trioxide]
1303-96-4	See Borates, tetra, sodium, decahydrous

CAS Number	
1304-82-1	Bismuth telluride; [Dibismuth tritelluride]
1305-62-0	Calcium hydroxide
1305-78-8	Calcium oxide
1306-19-0	Cadmium oxide fume
1306-23-6	Cadmium sulphide and cadmium sulphide pigments
1309-37-1	Iron oxide; [Rouge]
1309-37-1	Iron oxide (Fe2O3)
1309-48-4	Magnesium oxide
1310-58-3	Potassium hydroxide
1310-65-2	Lithium hydroxide
1310-73-2	Sodium hydroxide
1314-13-2	Zinc oxide, fume
1314-56-3	Diphosphorus pentoxide
1314-62-1	Vanadium pentaoxide; [Divanadium pentaoxide]
1314-80-3	Phosphorus pentasulphide; [Diphosphorus pentasulphide]
1317-35-7	Trimanganese tetraoxide; [Manganese tetraoxide]
1317-65-3	Calcium carbonate; [Marble]; [Limestone]
1317-95-9	Tripoli, Crystalline silica
1319-77-3	Cresols, all isomers
1321-64-8	Pentachloronaphthalene
1321-65-9	Trichloronaphthalene
1321-74-0	Divinylbenzene
1330-20-7	Xylene, mixed isomers
1330-43-4	Borates, tetra, sodium, anhydrous; [Disodium tetraborate, anhydrous]
1332-21-4	Asbestos
1332-58-7	Kaolin
1333-74-0	Hydrogen
1333-86-4	Carbon black
1335-87-1	Hexachloronaphthalene
1335-88-2	Tetrachloronaphthalenes, all isomers
1338-23-4	Methyl ethyl ketone peroxides (MEKP)
1344-28-1	Aluminium oxides
1344-95-2	Calcium silicate
1563-66-2	Carbofuran (ISO)
1634-04-4	tert Butyl methyl ether
1910-42-5	Paraquat dichloride
1912-24-9	Atrazine
1918-02-1	Picloram (ISO)
1929-82-4	Nitrapyrin; [2-chloro-6-trichloromethyl pyridine]
2001-28-4	Crocidolite
2039-87-4	o-Chlorostyrene
2179-59-1	Allyl propyl disulphide
2234-13-1	Octachloronaphthalene
2238-07-5	Diglycidyl ether; [DGE]; [bis (2,3-epoxypropyl) ether]
2425-06-1	Captafol (ISO)
2426-08-6	n-Butyl glycidyl ether; [BGE]; [Butyl-2,3-epoxypropyl) ether]
2451-62-9	Triglycidyl isocyanurate, [TGIc]; [Araldite PT810]
2528-36-1	Diethyl phenyl phosphate
2551-62-4	Sulphur hexafluoride
2687-91-4	N-Ethyl-2-pyrrolidone
2698-41-1	o-Chlorobenzylidene malonitrile
2699-79-8	Sulphuryl difluoride
2764-72-9	Diquat
2921-88-2	Chlorpyrifos (ISO)
3173-72-6	1,5-Naphthylene diisocyanate
3333-52-6	Tetramethyl succinonitrile
3383-96-8	Temephos
3689-24-5	O,O,O'-Tetraethyl dithio- pyrophosphate(ISO); [sulphotep]; [TEDP]
3825-26-1	Ammonia perfluooctanoate
4016-14-2	Isopropyl glycidyl ether (IGE); [2,3-Epoxypropyl isopropyl]
4098-71-9	Isophorone diisocyanate (IPDI)
5714-22-7	Disulphur decafluoride; [Sulphur pentafluoride]
6153-56-6	Oxalic acid



CAS Number	
6423-43-4	Propylene dinitrate (PGDN) ; [Propylene glycol dinitrate]
6923-22-4	Monocrotophos
7085-85-0	Ethyl cyanoacrylate
7429-90-5	Aluminium metal
7439-92-1	Lead
7439-96-5	Manganese
7439-97-6	Mercury
7439-98-7	Molybdenum
7440-01-9	Neon
7440-02-0	Nickel
7440-06-4	Platinum
7440-16-6	Rhodium
7440-21-3	Silicon
7440-22-4	Silver
7440-25-7	Tantalum
7440-28-0	Thallium,
7440-31-5	Tin
7440-33-7	Tungsten
7440-36-0	Antimony
7440-37-1	Argon
7440-38-2	Arsenic
7440-39-3	Barium
7440-41-7	Beryllium
7440-43-9	Cadmium
7440-44-0	Graphite
7440-47-3	Chromium
7440-48-4	Cobalt
7440-50-8	Copper
7440-58-6	Hafnium
7440-59-7	Helium
7440-61-1	Uranium compounds, natural
7440-65-5	Yttrium
7440-67-7	Zirconium
7440-74-6	Indium
7446-09-5	Sulphur dioxide
7553-56-2	Iodine
7572-29-4	Dichloroacetylene
7580-67-8	Lithium hydride
7616-94-6	Perchloryl fluoride
7631-90-5	Sodium bisulfite; [Sodium hydrogen sulphite]
7637-07-2	Boron trifluoride
7646-85-7	Zinc chloride
7647-01-0	Hydrogen chloride
7664-38-2	Orthophosphoric acid; [Phosphoric acid]
7664-39-3	Hydrogen fluoride
7664-41-7	Ammonia
7664-93-9	Sulphuric acid
7681-57-4	Disodium disulphite; [Sodium Metabisulphite]
7697-37-2	Nitric acid
7719-09-7	Thionyl chloride
7719-12-2	Phosphorus trichloride
7719-09-7	Thionyl chloride
7722-84-1	Hydrogen peroxide
7722-88-5	Tetrasodium pyrophosphate
7723-14-0	Phosphorus, yellow
7726-95-6	Bromine
7727-21-1	Dipotassium peroxodisulphate; [Potassium persulphate]
7727-37-9	Nitrogen
7727-43-7	Barium sulphate
7727-54-0	Diammonium peroxodisulphate; [Ammonium persulphate]
7727-73-3	Sodium Sulfate (the decahydrate)
7757-82-6	Sodium Sulfate (the anhydrite)
7773-06-0	Ammonium sulphamidate

CAS Number	
7775-27-1	Disodium peroxodisulphate; [Sodium persulphate]
7778-18-9	Calcium sulphate
7782-41-4	Fluorine
7782-42-5	Graphite (natural)
7782-49-2	Selenium
7782-50-5	Chlorine
7782-65-2	Germane; [Germanium tetrahydride]
7782-79-8	Hydrazoic acid
7783-06-4	Hydrogen sulphide
7783-07-5	Dihydrogen selenide; [Hydrogen selenide]
7783-41-7	Oxygen difluoride
7783-54-2	Nitrogen trifluoride
7783-60-0	Sulphur tetrafluoride
7783-79-1	Selenium hexafluoride
7784-42-1	Arsine
7786-34-7	Mevinphos (ISO); [Phosdrin]
7789-06-2	Strontium chromate
7789-30-2	Bromide pentafluoride
7790-91-2	Chlorine trifluoride
7790-94-5	Chlorosulphonic acid
7803-51-2	Phosphine
7803-52-3	Stibine
7803-62-5	Silane; [Silicon tetrahydride]
8001-35-2	Chlorinated camphene (Toxaphene)
8002-74-2	Paraffin wax
8003-34-7	Pyrethrins (ISO); [Pyrethrum]
8006-64-2	Turpentine
8030-30-6	Rubber solvent; [Naphta]
8032-32-4	VM and P Naphta
8050-09-7	Colphony
8052-41-3	Stoddard solvent; [White spirit]
8052-42-4	Asphalt, petroleum fumes
8065-48-3	Demeton
9002-86-2	Polyvinyl chloride (PVC)
9004-34-6	Cellulose
9005-25-8	Starch
9014-01-1	Subtilisins (proteolytic enzymes as 100% pure)
10024-97-2	Nitrous oxide
10025-67-9	Sulphur monochloride; [Disulphur dichloride]
10025-87-3	Phosphoryl trichloride
10026-13-8	Phosphorus, pentachloride
10028-15-6	Ozone
10035-10-6	Hydrogen bromide
10043-35-3	Boric Acid
10049-04-4	Chlorine dioxide
10101-41-4	Gypsum
10102-43-9	Nitric oxide; [Nitrogen monoxide]
10102-44-0	Nitrogen dioxide
10294-33-4	Boron tribromide
11097-69-1	Chlorinated biphenyls (54%); [Polychlorinated biphenyls]
12001-29-5	Chrysotile, asbestos
12035-72-2	Nickel subsulfide
12070-12-1	Tungsten carbide
12079-65-1	Manganese cyclopentadienyl tricarbonyl; [Tricarbonyl (etacyclopentadienyl) manganese]
12108-13-3	Tricarbonyl (methyl cyclopentadienyl) manganese; [Methyl cyclopentadienyl] manganese tricarbonyl
12125-02-9	Ammonium chloride
12172-73-5	Amosite, asbestos
12179-04-3	Tetra sodium borate pentahydrate (See Borates)
12604-58-9	Ferrovanadium
13121-70-5	Tricyclohexyltin hydroxide; [Cyhexatin(ISO)]
13149-00-3	cis-Cyclohexane-1,2-dicarboxylic anhydride
13463-39-3	Nickel carbonyl; [Tetracarbonyl nickel]



CAS Number	
13463-40-6	Pentacarbonyliron; [Iron pentacarbonyl]
13463-67-7	Titanium dioxide
13494-80-9	Tellurium
13530-65-9	Zinc chromate
13765-19-0	Calcium chromate
13838-16-9	Enflurane
14166-21-3	Trans-cyclohexane-1,2-dicarboxylic anhydride
14464-46-1	Cristobalite, crystalline silica
14484-64-1	Ferbam (ISO)
14807-96-6	Talc
14808-60-7	Quartz, crystalline silica
14857-34-2	Dimethylethoxysilane
14977-61-8	Chromyl Chloride
15972-60-8	Alachlor
15468-32-3	Tridymite, respirable dust(Silica)
16752-77-5	Methomyl (ISO)
16984-48-8	Fluoride (as F)
17702-41-9	Decaborane
17804-35-2	Benomyl (ISO)
19287-45-7	Diborane
19624-22-7	Pentaborane
20816-12-0	Osmium tetraoxide (as Os)
21087-64-9	Metribuzin
21351-79-1	Caesium hydroxide
21651-19-4	Tin oxide
21725-46-2	Cyanazine
22224-92-6	Fenamiphos
22781-23-3	Bendiocarb
24468-13-1	2-Ethylhexyl chloroformate
25013-15-4	Methylstyrene; [Vinyl toluene]
25154-54-5	Dinitrobenzene, all isomers
25167-67-3	Butene, mixture of isomers
25321-14-6	2,4-Dinitrotoluene
25551-13-7	Trimethylbenzenes, all isomers or mixtures
25639-42-3	Methylcyclohexanol
26140-60-3	Terphenyls, all isomers
26499-65-0	Plaster of Paris
26628-22-8	Sodium azide
26675-46-7	Isoflurane
26761-40-0	Diisodecyl phthalate
26952-21-6	Isoctyl alcohol (mixed isomers)
27554-26-3	Diisoctyl phthalate
28553-12-0	Diisononyl phthalate
31242-93-0	Chlorinated diphenyl oxide
34590-94-8	(2-Methoxymethylethoxy)-l-propanol; [Dipropylene glycol methyl ether]
35400-43-2	Sulprofus
37300-23-5	Zinc yellow
42498-58-8	Methyltetraphenylphthalic anhydride isomer
50926-11-9	Indium tin oxide
53469-21-9	Chlorinated biphenyls (42%); [Polychlorinated biphenyls]
60676-86-0	Silica, fused
61788-32-7	Hydrogenated terphenyls
65996-93-2	Coal tar pitch volatiles
68334-30-2	Diesel Oil
65997-15-1	Portland cement
68476-85-7	Liquefied petroleum gas (LPG)
74222-97-2	Sulfometuron methyl
68855-54-9	Diatomaceous earth, natural
77536-66-4	Actinolite asbestos
77536-67-5	Anthophyllite, asbestos
77536-68-6	Tremolite asbestos
132207-32-0	Chrysotile, asbestos

*healthy,
safe and
productive
lives*

**Health and Safety
Authority**

Tel. 1890 289 389

International
Callers
00353 1 6147000

www.hsa.ie

